

SAFETY DATA SHEET

PLUS II Enzyme Odor & Spot Dissolver

Revision Date

12/16/2015

SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME PLUS II Enzyme Odor & Spot Dissolver

ITEM P2-1 READY

PRODUCT USE Carpet Spotter

COMPANY NAME Core Products Co., Inc.

Office (800) 825-2673 401 Industrial Rd Fax (903) 567-1346

Web Canton TX 75103 www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION - 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B

WARNING Causes eye irritation

> Causes mild skin irritation, May be harmful if swallowed, Avoid eye or prolonged skin contact, and inhalation of mist. Use personal protective equipment as required, Avoid release into the environment, KEEP OUT OF REACH OF CHILDREN

SECTION - 3 **COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME COMMON NAME AND SYNONYMS CAS# **IMPURITIES PERCENT**

None Listed Contains no ingredients classifiable by GHS criteria

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek

medical aid

INHALATION Not Applicable

DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to **INGESTION**

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Causes eye irritation, discomfort, redness, tearing Eves

Skin May cause mild skin irritation, redness, drying or cracking Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

SECTION - 5 **FIRE FIGHTING MEASURES**

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Burning or thermal decomposition can produce, sulfur oxides, carbon monoxide, carbon dioxide, sodium oxides **Hazardous Decomposition**

Reactive With Reactive with, strong oxidizing agents, strong acids

Explosion Hazards Not applicable Static Discharge Not applicable Mechanical Impact Not applicable

Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear **Protective Equipment**

Exposure

Revision Date

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment
Use rags or towels to prevent spill from spreading, Prevent spill from entering the environment
Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal
Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and prolonged skin contact, Avoid inhalation of mist, May be

ACGIH (STEL)

harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container

OSHA PEL (TWA 8)

before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Store away from incompatible materials

ACGIH (TWA 8)

Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Significant

OSHA (CEIL)

None Listed

CHEMICAL NAME


PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield



(Recommended)



HMIS HAZARD RATINGS

Health
Flammability

Reactivity

Personal Protection

A

SECTION - 9	PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.01
Flammable Limits	ND	pH (± 0.3)	6.9 - 7.2
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Opaque	Boiling Point	100°C (212°F)
Odor	Fresh Scent	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 99%	Partition Coefficient	ND
VOC	< 1%	Molecular Weight (g/mol)	~ 19.82
LVP-VOC	0%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials, Extremely high or low temperatures Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

Thermal Decomposition Burning or thermal decomposition can produce, sulfur oxides, carbon monoxide, carbon dioxide, sodium oxides,

and other toxic fumes

Revision Date

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing

SkinMay cause mild skin irritation, redness, drying or crackingInhalationSpray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

Acute Tox Category Not applicable (Oral > 5,000 mg/kg) Not applicable (Dermal > 5,000 mg/kg), Not applicable (Inhaled > 12.5 mg/L) Dust or Mist

Additional Info

Target Organs No target organs listed

Medical Conditions Preexisting, eye, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician Treat symptoms

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME Type Form Subject Result Value Exposure Time GHS Category

None Listed

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability This product is readily biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In SoilThis material is a mobile liquidOther Adverse EffectsMay be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals.) or "Limits"

Not Regulated Non Hazardous - Compounds Cleaning Liquid

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lbs)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None 154 No

Additional Info:

SECTIO	ON – 15 REGULATORY	INFORMATION							
TSCA							· ''''		
CHEM	ICAL NAME	Sec 8(b) Inventory	Sec 8(d) Hea	Ith And Saf	ety So	ec 4(a) Chemical T	est Rules	Sec 12(b) Export Notification
None	Listed								
REPOR	TABLE QUANTITIES	Extremely I	Hazardous	Repor	table Quantity	Emission Repo	ting		
CHEM	ICAL NAME	EPCRA TPQ Sec 302	EPCRA RQ Sec 30	4 CERC	LA RQ Sec 103	TRI Sec 313	F	RCRA Code	RMP TQ Sec 112
None	Listed								
SARA	· · · · · · · · · · · · · · · · · · ·	Section 311			Secti	on 311 / 312 Ha	zards		
CHEM	ICAL NAME	Hazardous Che	mical Ad	cute	Chronic	Flamma	ble	Pressure	Reactive
None	Listed		 						
RIGHT	TO KNOW			S	ГАТЕ				
CHEM	ICAL NAME	CA CT	FL IL	LA	NJ NY	PA MI	MN	MA	RI WI
None	Listed								
CALIFO	ORNIA		WARNING! This	product c	ontains chen	nicals known to	the state	e of Californ	ia to cause:
	ICAL NAME	CAS#	Birth Defects	•	roductive Har		cinogen		evelopmental
None									
	AIR WATER ACTS		Clean Air Acts			·	Clean	Water Acts	
	ICAL NAME	CAS#		Ozone Cla	ss 1 Ozo	ne Class 2	HS	PP	TP
None									
		- The components of t	his product are list	ted on the	chemical inve	ntories of the fol	lowing co	untries:	and the second
-	CAL NAME	Australia	Canada		(EINECS)	Japan	J	Korea	UK
None									
	Classification								
	CAL NAME	DSL	Class Descrip	tion					
None		No							
SECTIO									
									<u></u>
<u>SDS</u> ACGIH	LEGEND DESCRIPTION American Conference of Government	ental Industrial Hygienists		LC50 A	concentration th	at is lethal to 50%	of a diven s	necies in a div	ven time
CAS	Chemical Abstracts Service Regist					to 50% of a given :	-		
CEIL	Ceiling Limit (15 minutes)				ower Explosive Li	imit			
	Comprehensive Environmental Re	sponse, Compensation, an	-		ver Damage ot Applicable				
CI CNS	Cochlear Impairment Central Nervous System				ot Determined				
EC50	Concentration of a chemical that g	ives half-maximal response				ction Association			
EPA	Environmental Protection Agency				ational Institute fo	or Occupational Sa	fety and H	ealth	
Eye	(EI = Irritation) (ED = Damage) (EV	/ = Visual Impairment)			ot Established	_			
FBG GHS	Full Bunker Gear Globally Harmonized System				ational Toxicolog	· -	inistration		
HAP	California Hazardous air pollutant (Clean Air Act			Occupational Safety and Health Administration Permissible Exposure Limit (OSHA)				
	Safety Glasses				Peripheral Nervous System				
HMIS-B Safety glasses, gloves					California Priority Pollutant under the Clean Water Act				
	Safety glasses, gloves, chemical a Face shield, gloves, chemical apro	•			ecommended ex oper Respiratory	posure limit (NIOSI	⊣)		
	Safety glasses, gloves, dust respire						Absorption	n) (SS = Sensit	(izer)
HMIS-F Safety glasses, gloves, chemical apron, dust respirator					(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer) Superfund Amendments and Reauthorization Act				
HMIS-G Safety glasses, gloves, vapor respirator					Short Term Exposure Limit (15 minutes)				
	Splash goggles, gloves, chemical a					ion that is toxic to a		cies in a given	time
	Safety glasses, gloves, dust and va Splash goggles, gloves, chemical a				iwest dose that is ireshold Limit Va	s toxic to a given s _l ilue (ACGIH)	becies		
	Air line hood or mask, gloves, full of					ollutant under the C	lean Wate	r Act	
	Ask Supervisor				oxic Substances				
HS KD	California Hazardous Substance un Kidney Damage (nephropathy)	nder the Clean Water Act			me Weighted Av oper Explosive Li	•			
ND.	manay baniage (nephropatriy)			O	Apor Explosive El				

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.