

## Revision Date 06-May-2015 Version 2

S. . . .

- 1. Identification of the substance initiate and of the company/unit	destaking

1.1 Product identifier

Product name	9D9
Product code	LG-F1001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended UseDeodorizerRestrictions on useProfessional Use Only

## 1.3 Details of the supplier of the safety data sheet

Supplier	Legend Brands ProRestore Products 15180 Josh Wilson Road Burlington, WA 98233
	5, , , , , , , , , , , , , , , , , , ,
	800-932-3030

#### 1.4 Emergency telephone number

**Emergency telephone number** 

INFOTRAC 1-800-535-5053 (North America) 1-352-323-3500 (International)

2 HazardSidentification

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Flammable liquids	Category 3

## 2.2 Label elements

Signal Word Warning

## **Hazard Statements**

Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer Flammable liquid and vapor



## Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge

# **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 2.3 Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

# 2.4 Other information

Not Applicable

**Unknown Acute Toxicity** 

1.10889006% of the mixture consists of ingredient(s) of unknown toxicity

## 3: Composition/Information on Ingredients

Substance Not applicable Mixture

Chemical Name	CAS-No	Weight %
ISOPROPYL ALCOHOL	67-63-0	10 - 20
2,4-PENTANEDIOL, 2-METHYL-	107-41-5	1 - 5
Benzophenone	119-61-9	< 1
acetophenone	98-86-2	< 1
2,6-OCTADIENAL, 3,7-DIMETHYL-	5392-40-5	< 1

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First and measures

#### 4.1 Description of first-aid measures

General advice	Show this material safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.
Eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.
Skin contact	Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Use a mild soap if available. Call a physician if irritation develops or persists. If skin irritation persists, call a physician.
Inhalation	Immediate medical attention is required. Move to fresh air. If not breathing, give artificial respiration.
Ingestion	Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms	See Section 2.2, Label Elements and/or Section 11, Toxicological effects.
4.3 Recommendations for immedia	te medical care and/or special treatment
Notes to physician	Treat symptomatically.

# 5. Fire-Fighting Measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray Carbon dioxide (CO 2) Dry powder Alcohol-resistant foam

#### Unsuitable Extinguishing Media High volume water jet.

# 5.2 Specific hazards arising from the substance or mixture

#### **Special Hazard**

Hazardous decomposition products formed under fire conditions Flash back possible over considerable distance

Hazardous Combustion Products No information available.

#### Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6: Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.

#### 6.2 Environmental precautions

06-May-2015 - LG-F1001 - 2 - AGHS - English -

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

## 6.3 Methods and materials for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
	7 Handling and storage		

#### 7.1 Precautions for safe handling

Advice on safe handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Vapors may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Keep away from sources of ignition - No smoking.
Hygiene measures	When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Use only in area provided with appropriate exhaust ventilation. Keep locked up or in an area accessible only to qualified or authorized persons. Use only explosion-proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Electrical equipment should be protected to the appropriate standard. Store between 41 and 77 °F (5 - 25° C) in a dry, well ventilated place away from sources of heat,

#### Materials to Avoid

Strong oxidizing agents.

8 Exposure/controls/personal/protection

ignition and direct sunlight. Store in original container.

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
ISOPROPYL	STEL: 400 ppm	TWA: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 200 ppm
ALCOHOL	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	STEL: 400 ppm	TWA: 492 mg/m <sup>3</sup>	TWA: 985 mg/m <sup>3</sup>	STEL: 400 ppm
67-63-0				STEL: 400 ppm	STEL: 500 ppm	
				STEL: 984 mg/m <sup>3</sup>	STEL: 1230 mg/m <sup>3</sup>	
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	Ceiling: 25 ppm	-	Ceiling: 25 ppm	Ceiling: 25 ppm Ceiling: 121 mg/m <sup>3</sup>	Ceiling: 25 ppm Ceiling: 121 mg/m <sup>3</sup>	CEV: 25 ppm
acetophenone 98-86-2	TWA: 10 ppm	-	TWA: 10 ppm	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup>	TWA: 10 ppm
2,6-OCTADIENAL, 3,7-DIMETHYL- 5392-40-5	TWA: 5 ppm inhalable fraction and vapor S*	-				TWA: 5 ppm Skin

#### 8.1 Occupational Exposure Limits (OEL)

## 8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

## 8.3 Individual protection measures, such as personal protective equipment

- Eye/Face Protection
   Safety glasses with side-shields.
- Skin and body protection Long sleeved clothing. Rubber or plastic apron.
- Respiratory protection Respirator with a vapor filter (EN 141).

#### Hygiene measures

See section 7 for more information

# 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties Physical state Liquid Appearance No information available Color Amber Odor Wintergreen oil **Odor Threshold** No information available Values Property Remarks • Methods pН 7.7 Melting/freezing point No information available Boiling point/boiling range 108 °C / 226 °F **Flash Point** 27 °C / 81 °F **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limits in Air upper flammability limit No information available lower flammability limit No information available 4.3 Vapor pressure Vapor density No information available **Specific Gravity** .94 Water solubility Soluble in water Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Viscosity, kinematic 33 Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

9.2 Other information Volatile organic compounds (VOC) 210 g/L content

10. Stability and Reactivity

## 10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Direct sources of heat.

## 10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

06-May-2015 - LG-F1001 - 2 - AGHS - English -

1. 1. 40

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological information

## 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

## The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity	1.10889006% of the mixture consists of ingredient(s) of unknown toxicity		
Oral LD50	3,502.00 mg/kg		
Dermal LD50	18,142.00 mg/kg		

#### Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
ISOPROPYL ALCOHOL 67-63-0	1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³(Rat)4 h	
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	3692 mg/kg (Rat)	-	> 310 mg/m³(Rat)1 h	
Benzophenone 119-61-9	10 g/kg (Rat)	= 3535 mg/kg (Rabbit)	-	
acetophenone 98-86-2	900 mg/kg (Rat)	= 1760 mg/kg (Rabbit)	-	
2,6-OCTADIENAL, 3,7-DIMETHYL- 5392-40-5	4950 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	-	

## 11.2 Information on toxicological effects

#### Skin corrosion/irritation

Product Information • No information available <u>Component Information</u> • No information available

#### Eye damage/irritation

Product Information
 No information available
 <u>Component Information</u>
 No information available

#### Respiratory or skin sensitization

Product Information • No information available <u>Component Information</u> • No information available

### **Germ Cell Mutagenicity**

Product Information • No information available <u>Component Information</u> • No information available

#### Carcinogenicity

• The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
ISOPROPYL ALCOHOL	-	Group 1	-	

67-63-0		Group 3		
Benzophenone 119-61-9	-	Group 2B	-	

## **Reproductive toxicity**

Product Information

No information available

Component Information

No information available

## STOT - single exposure

No information available

## STOT - repeated exposure

No information available

## Other adverse effects

Target Organs

Eyes

Respiratory system

• Skin

Central nervous system

Product Information

No information available

Component Information

No information available

# Aspiration hazard

Product Information

No information available

Component Information

No information available

# 12. Ecological information

#### 12.1 Toxicity

## **Ecotoxicity**

No information available

41.8293 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

### Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ISOPROPYL ALCOHOL 67-63-0	EC50: 96 h Desmodesmus subspicatus 1000 mg/L EC50: 72 h Desmodesmus subspicatus 1000 mg/L	LC50: 96 h Pimephales promelas 9640 mg/L flow-through LC50: 96 h Pimephales promelas 11130 mg/L static LC50: 96 h Lepomis macrochirus 1400000 µg/L	EC50: 48 h Daphnia magna 13299 mg/L
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	-	LC50: 96 h Pimephales promelas 10500 - 11000 mg/L flow-through LC50: 96 h Lepomis macrochirus 10000 mg/L static LC50: 96 h Pimephales promelas 8690 mg/L flow-through LC50: 96 h Pimephales promelas 10700 mg/L static	EC50: 48 h Daphnia magna 2700 - 3700 mg/L
Benzophenone 119-61-9	-	LC50: 96 h Pimephales promelas 13.2 - 15.3 mg/L flow-through	-
acetophenone 98-86-2	-	LC50: 96 h Pimephales promelas 162 mg/L flow-through LC50: 96 h Pimephales promelas 155 mg/L static	-

2,6-OCTADIENAL, 3,7-DIMETHYL-	EC50: 72 h Desmodesmus	-	EC50: 48 h Daphnia magna 7 mg/L
5392-40-5	subspicatus 16 mg/L EC50: 96 h		
	Desmodesmus subspicatus 19 mg/L		

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

#### Discharge into the environment must be avoided

Chemical Name	log Pow	
ISOPROPYL ALCOHOL 67-63-0	0.05	<u> </u>
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	0.14	
Benzophenone 119-61-9	3.58	
acetophenone 98-86-2	1.73	
2,6-OCTADIENAL, 3,7-DIMETHYL- 5392-40-5	2.76	

## 12.4 Mobility in soil

No information available.

## 12.5 Other adverse effects

No information available

13. Disposal Considerations

## 13.1 Waste Disposal Guidance

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

14 Transport Information

Limited quantity
1993
Flammable Liquid, N.O.S. (Isopropanol)
3
14

<u>MEX</u>

 IMDG

 Proper shipping name
 Flammable Liquid, N.O.S. (Isopropanol)

 Hazard class
 3

 UN Number
 1993

 Packing Group
 III

 Marine pollutant
 This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

## <u>IATA</u>

15 Regulatory information

#### 15.1 International Inventories

TSCA DSL EINECS/ELINCS	Complies Complies
ENCS IECSC KECL	- Complies Complies
PICCS AICS NZIOC	Complies Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

#### 15.2 U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %	
ISOPROPYL ALCOHOL	1.0	
67-63-0		

#### 15.3 Pesticide Information

Not applicable

#### 15.4 U.S. State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name			California Prop. 65		
	Benzophenone - 119-61-9 1,4-DIOXANE - 123-91-1		Carcinog	en	
			Carcinogen		
and the second sec			ation	1	
NFPA	Health Hazard 1	Flammability 3	Instability 0	Physical and chemical hazards	
HMIS_	Health Hazard 1	Flammability 3	Physical Hazard 0	Personal protection C	
Ceiling (C) DOT (Department EPA (Environment IARC (International International Air T) International Marit	tal Protection Agency) al Agency for Research on Cal ransport Association (IATA) ime Dangerous Goods (IMDG nstitute for Occupational Safei	ncer)			

06-May-2015 - LG-F1001 - 2 - AGHS - English -

OSHA (Occupational Safety and Health Administration of the US Department of Labor) PEL (Permissible Exposure Limit) Reportable Quantity (RQ) Skin designation (S\*) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) TWA (time-weighted average)

Revision Date Revision Note

06-May-2015

Revision Note No information available Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**