

the
butler
System

**For Cleaning and
Restoration Professionals**

American
Quality, Value
& Service
Since 1980

TABLE OF CONTENTS

ABOUT THE BUTLER SYSTEM	4-5
STANDARD FEATURES.....	7-24
PREFERRED EQUIPMENT PACKAGES	27-39
OPTIONAL EQUIPMENT	41-66
NEW VANS	68-71
TRUCKS AND CUBE VANS	72-77
PRE-OWNED "RECONDITIONED"	
BUTLER SYSTEMS AND VANS	78-79
SUPPLY DIVISION	80-82
AMENITIES	83-92
FINANCING AND LEASING.....	85
ADDITIONAL INFORMATION.....	93
INDEX	95
INFORMATION AND COMMUNICATIONS	
DISCLAIMER	96

Important Words Regarding This Brochure

We have attempted to make this brochure as comprehensive and factual as possible. Photos, specifications and descriptions herein were in effect when this publication was approved for printing. The Butler Corporation reserves the right to make changes to prices, terms, exclusions, conditions, colors, materials, specifications, models and availability without notice and without incurring any obligation.

The "Butler System 10-Year Warranty," the reconditioned "Butler System 1-Year Warranty," "The Butler Guarantee Buy-Back Program" and "Volume and Shipping Rate Savings," etc. are subject to terms, exclusions and limitations.

©Copyright 1998 by The Butler Corporation. Revised in part February 2025. All rights reserved. Copying of this brochure, in whole or in part, without written permission by The Butler Corporation is strictly prohibited. Chevrolet and GMC are registered trademarks of General Motors Corporation. Isuzu is a registered trademark of Isuzu Commercial Truck of America.



THE BUTLER CORPORATION
251 Moody Street
Ludlow, MA 01056

800.535.5025

PHONE 413.547.8557

FAX 413.589.9344

butlersystem.com

EMAIL info@butlersystem.com





RESEARCH, DEVELOPMENT, DESIGN, ENGINEERING,
MARKETING, MANUFACTURING, SALES AND
SERVICE ALL ORIGINATE FROM OUR MODERN
FACILITY IN CENTRAL NEW ENGLAND.



Heritage

We are a family owned American business providing factory direct sales, service and support to thousands of professional cleaning and disaster restoration companies since 1980.

Research, development, design, engineering, marketing, manufacturing, sales and service all originate from our modern facilities located in central New England. Throughout the years, we have incorporated numerous enhancements and industry-leading innovations into our original, time-tested Butler System design. Floorplan Layouts, Optional Equipment, supplies and vehicle selections have all been expanded to provide our customers with everything they would need to support a successful business.

Longevity

The Butler System is powered by an enclosed one-piece Shaft-Drive System using the vehicle's engine as the power source. This method of powering equipment is referred to as a power take-off (PTO). PTO's have been in use since the 1800's to transmit power from the vehicle's engine to a separate mechanism. Variations of PTO's are widely used in all commercial applications, including: the trucking industry, farming, construction and industrial equipment, as well as, marine and aircraft manufacturing. Our decision in 1980 to utilize the vehicle's engine as the power source has definitely proven to be the right choice. It is not uncommon to see and hear of Butler Systems that are 20 to 30 years old with over 10,000 hours of running time, installed in the original vehicle, powered by the original engine, with 300,000 miles or more on the odometer.

The Butler System is especially appreciated by customers who work in extreme conditions, operate their businesses in remote locations or where reliable local service is not available.

Features

The utilization and the strategic location of each component has maximized cargo area space, leaving ample room to accommodate shelving, equipment and related supplies. The thoughtful Floor Plan Layouts and logical arrangement of components demonstrates the importance we place on operator efficiency, ease of use and productivity. You may choose to individualize your Butler System and satisfy your personal preference needs with a desirable combination of Preferred Equipment Packages and an exclusive selection of Optional Equipment.

All Butler Systems are built to customers' selections, hand assembled, installed and tested by dedicated craftsmen with decades of experience. Their commitment to detail throughout the entire manufacturing process is of primary importance. All major components are protected with our exclusive, durable, five-step silver textured finish and all related components are handsomely blended in an attractive color combination of silver, black and white.

Selecting or Supplying a Van

Van selection, vehicle options, convenience, availability, competitive pricing and ease of financing are why most customers choose from our extensive inventory of new and pre-owned vans. Individual owner preferences can usually be satisfied by: selecting from our inventory, having us locate a van through our associated dealer network, or, we can "special order" one on your behalf. You may also elect to: supply an existing van, purchase from *your own dealer*, or, have *your dealer* "special order" a van and have it "drop-shipped" from the manufacturer to one of *our local dealers*. We will be pleased to provide you with the required specifications and recommendations when you are supplying an existing van or purchasing new.

Cube Vans and Trucks

We also install the Butler System into cube vans and trucks with various wheelbases, payload capacities, GVWRs (Gross Vehicle Weight Ratings), cargo body lengths and heights, etc. The Butler System layout, certain Standard Features and some Optional Equipment are specific to cube vans, trucks and/or cargo body sizes. Therefore, cube vans, trucks and bodies are ordered with particular requirements and must be purchased through The Butler Corporation.

The information contained in this brochure referencing vans may or may not pertain to cube vans and trucks. Please contact our Sales Department for detailed information.



THE BUTLER SYSTEM

Ownership Experience

The purchase of cleaning or restoration equipment should be a rewarding and gratifying experience. It is our responsibility to provide the information and knowledge necessary for you to make an informed decision. We have the experience to help you select the appropriate vehicle, equipment and options that will best suit your business needs.

Warranties

Our dedication, confidence and commitment to quality are demonstrated by providing the industry's most comprehensive factory-backed warranty. Every new Butler System, regardless of the vehicle in which it is installed and regardless of the options, is protected by the "Butler System 10-Year Warranty." Every reconditioned Butler System is protected by our pre-owned "Butler System 1-Year Warranty." There are no limitations on machine hours and the "Butler System 10-Year Warranty" may be transferred for up to one year of coverage, at no charge. Complete warranty information for new and pre-owned Butler Systems is contained in the Warranty Booklet and is available at any time upon request or online at butlersystem.com.

Guarantee Buy-Back Program

Our "Guarantee Buy-Back Program" is an exclusive program that provides our customers the opportunity to trade-in or cash-in their Butler System/van at anytime during ownership, including, while financed or leased. This program provides our customers an easy, convenient way to keep their equipment updated with the latest technology and warranties.

Showcased

The Butler System is showcased annually at most regional trade shows and national conventions. At various times throughout the year, we inventory new machines and vehicles in different regions of the country in order for our sales representatives to provide private demonstrations at a location and time that is convenient for you. If time is a concern, we can arrange a personal demonstration for you through one of our thousands of Butler System owners located in all fifty states, as well as, Canada, Bermuda, Cayman Islands, Puerto Rico, St. Maarten and various U.S. government locations around the world. You are also welcome to visit our factory, observe the manufacture of the Butler System firsthand, and experience the importance we place on quality, value and courteous customer service.

Financing

There are many ways to finance your Butler System and vehicle. Our Sales Department will be pleased to confidentially assist you with finance, lease or lease-to-own programs that are exclusive to Butler customers. Various programs are available that offer low interest rates, no down payment and terms from 24 to 72 months. All inquiries will be given the latest information regarding current purchase incentives and rebates.

Benefits of Ownership

A few of the benefits when selecting a Butler System are: family owned and operated; factory direct sales, service and support; space saving Floor Plan Layouts; more Standard Features and Optional Equipment choices; individually built to customers' selections at our factory; no additional power or heat source; minimal heat generated inside vehicle; user friendly and simple to operate; easier to service and maintain; more reliable; quieter; minimal knowledge required to operate; vehicle can be completely closed and locked for security when operating; 10-Year Warranty (new); 1-Year Warranty (pre-owned); Buy-Back Guarantee; replacement parts for every Butler System sold in the past 20 plus years; Parts Exchange Program; highest resale value; and vehicle upfitter recognition by General Motors.

Our Appreciation

Your review of this brochure and valued consideration is appreciated. Please do not hesitate to call our Sales Department toll free at 800.535.5025 should you have any questions or would like additional information. We also invite you to visit our factory and continue to view our website at butlersystem.com for all the latest product information, updates, developments and events.





American
Quality, Value
& Service
Since 1980

STANDARD FEATURES

The Butler System is outfitted with an extensive list of Standard Features that distinguishes it as the most thoroughly equipped, versatile machine in the industry. Each feature is strategically located to enhance cargo area spaciousness, leaving ample room to accommodate related equipment and supplies.

We offer a value priced combination of Preferred Equipment Packages and an exclusive selection of Optional Equipment to complement the Butler System's Standard Features. Please refer to the sections titled "Preferred Equipment Packages" and "Optional Equipment" for descriptions, specifications, photographs and pricing. For our latest updates, new equipment developments and current vehicle availability, please call our Sales Department or visit our website at butlersystem.com.

The Butler System

\$29,995.^{00*}

(non-negotiable)

Factory installation included.

**Prices in this brochure are for new and pre-owned Butler Systems purchased and installed as a complete system only. Prices for parts and components sold separately may not be the same.*


Complete warranty information for new and pre-owned Butler Systems is contained in the Warranty Booklet and is available at any time upon request or at butlersystem.com.



THE LATEST TECHNOLOGY
COMBINED WITH OUR
TRADITION OF HAND-BUILT
CRAFTSMANSHIP TRULY
DEFINES THE BUTLER
SYSTEM.

Shown with Standard Features.

NO OTHER TRUCKMOUNT
OFFERS MORE STANDARD
EQUIPMENT AND OPTIONAL
FEATURES OR IS:
SIMPLER TO OPERATE,
MORE RELIABLE, EASIER
TO MAINTAIN, QUIETER,
LASTS LONGER, DEMANDS
A HIGHER RESALE VALUE
OR IS SOLD WITH A
BUY-BACK GUARANTEE.



Floor plan is to exact scale in a Standard Length Van.


STANDARD FEATURES



Shown installed in a Standard Length Van.

Shown with Standard Features and Equipment Shroud removed.

LOGICAL ARRANGEMENT
OF COMPONENTS
DEMONSTRATES THE
IMPORTANCE WE
PLACE ON
SERVICEABILITY.



Floor plan is to exact scale in a Standard Length Van.

STANDARD FEATURES



STANDARD FEATURES



Equipment Shroud

- Aluminum construction
- Lightweight four (4) piece design
- Features a convenient storage tray and utility container
- Grab handles for one person removal and reinstallation
- Flip-up lid for serviceable access to most machine components
- Daily, Weekly and Monthly Maintenance/Service Chart on inside of lid for practical reference (not shown)
- Satin black finish

Instrument Panel

- Aluminum construction
- Black, white and silver panel is stain, detergent and scratch-resistant with each item clearly identified
- Key Activated On/Off Switch
- Matching color coordinated and illuminated gauges including:
 - Water Temperature Gauge
 - Hour Meter*
 - Vacuum Gauge
 - Tachometer
 - Water Pressure Gauge with quick disconnect (inside shroud)*
- Precision Detergent Flow Control Valve – stainless steel – choice of CC (cubic centimeters) or GPH (gallons per hour) valve
- Detergent Flow Range Meter – choice of CC or GPH meter
- Dual LED color coordinated and illuminated rocker switches including:
 - Engage System – with 8-second restart/delay feature
 - Engage Pump – high-pressure pump
 - Speed Control – Low, Normal and High speed positions
- Dual LED illuminated rocker switch for 12-Volt Auxiliary Outlets located on the Instrument Panel and Recovery Tank for use with equipment such as the optional Pump-Out System and external lighting (See “Optional Equipment Section” for details)
- Oil Level View Port for viewing oil level in High-Pressure Pump
- Panel mounted Lubricating Port for conveniently servicing Vacuum/Blower
- Pressure Hose Quick Disconnects for attaching two (2) high-pressure hoses
- Hot Water Convenience Outlet with stainless steel shut-off valve and extension hose to dispense variable temperature water for conveniently mixing cleaning products
- Cold Water Convenience Inlet with stainless steel shut-off valve and quick disconnect fitting for connecting Supply (garden) Hose directly to machine
- Panel-mounted Oil Drain Valve for ease of servicing High-Pressure Pump
- Vinyl-coated Drip Tray with removable grate to help prevent water from dripping onto floor covering and cargo area when connecting and disconnecting hoses
- High-Intensity Light located inside Equipment Shroud with on/off switch to illuminate machine components
- Color-coded items referenced to Schematic

**Gauges are not designed to be illuminated*

STANDARD FEATURES

Shaft-Drive System

- Dependability and simplicity of Shaft-Drive (PTO) technology
- Independent of vehicle manufacturer's pulley drive system
- Automatic Belt Tensioners for front drive and Vacuum/Blower belts
- Two (2) front Drive Shaft belts, two (2) Vacuum/Blower belts, one (1) High-Pressure Pump belt
- Industrial grade belts
- Precision ground one piece enclosed steel shaft
- No exposed moving parts along continuous length
- Three (3) permanently lubricated bearings (no service required)
- Heavy-duty mounting brackets
- Electric Clutch with Soft Start Engagement System
- Activating "Engage System" Switch, engages Electric Clutch and shaft
- Satin black finish



High-Pressure Pump

- High-Pressure Pump customized to Butler specifications
- Electric Clutch activation
- 3-Position Speed Control Switch adjusts pump speed (water volume) for delicate upholstery, carpet, hard surface and "dual-wand cleaning"
- Easily adjustable Unloader Control Valve increases or decreases pressure to desired setting (350 – 1200 PSI)
- Stainless steel Pulsation Dampener
- No hot water or detergent passes through pump except momentarily when priming Detergent Injection System
- Chrome cylinders and stainless steel valves
- Teflon® lined, braided stainless steel hoses (except Unloader by-pass)
- Components attach by threaded stainless steel swivels or brass quick disconnects
- Color coordinated Water Pressure Gauge with quick disconnect
- Easy-View Oil Level Indicator
- Panel-mounted Oil Drain Valve with braided stainless steel connecting hose – for ease of servicing
- Complimentary pint of oil for first oil change
- Color-coded items referenced to Schematic

NOTE: Pump capacity is 5 gallons per minute at 500 PSI pressure. Dual use of some rotary jet scrubbers and multi-jet wand combinations could decrease hot water temperature, water pressure and water flow. Adjustments and/or modifications may be necessary.

Braided Stainless Steel Hoses

- Teflon® lined, braided stainless steel hoses
- Hoses include stainless steel, chromate and brass ends
- Hoses attach to components with stainless steel JIC swivel ends or brass quick disconnects





Detergent Injection System


- Stainless steel High-Pressure Injection System
- Uses liquid detergent full strength to minimize detergent waste and eliminate mixing*
- Stainless steel panel-mounted precision Flow Control Valve
- Precision Flow Control Valve, once positioned to desired setting, automatically controls detergent flow rate for carpet, upholstery, hard surface and dual-wand cleaning
- Panel-mounted Flow Meter with Flow Range Indicator for ease of viewing
- Instant ON/OFF Valve allows detergent flow to be turned ON or OFF without having to re-adjust flow rate
- Priming Valve for instantaneous priming
- No detergent passes through High-Pressure Pump or Heat Exchanger except momentarily, when priming Detergent Injection System
- Color-coded items referenced to Schematic

**Powdered detergent may be used. Requires a Gallon Per Hour (GPH) Flow Control Valve and Flow Meter. Available at no extra charge at time of order.*



Standard Vacuum/Blower System

- Vacuum/Blower customized to Butler specifications with Low, Normal and High speed features
- 3-position Speed Control Switch adjusts Vacuum/Blower speed (air volume) for delicate upholstery, carpet, hard surface and "dual-wand cleaning"
- Capacity to displace 375 cubic feet of air per minute (CFM)
- 2 1/2" Smooth-Flow Fittings, hose and couplers from Recovery Tank through entire Vacuum/Blower and Silencer System for maximum performance and air flow
- Automatic Belt Tensioner
- Easy-View Oil Level Indicators
- Panel-mounted Lubricating Port for convenient servicing (not shown)
- Remote Oil Drain Valves for ease of servicing
- Exhausts through Ultra-Quiet Silencer System located underside of vehicle
- Complimentary quart of Vacuum/Blower oil for first oil change
- Color-coded items referenced to Schematic
- Light gray finish



Ultra-Quiet Silencer System

- Stainless steel exterior construction
- Located underside of vehicle
- Minimizes heat inside vehicle
- Manufactured to fit each vehicle design
- Integral Resonator
- Maximum air flow capacity with 3" custom Smooth-Flow Fittings
- Non-restrictive air flow
- Double clad and insulated for additional sound absorption
- Polished stainless steel finish

STANDARD FEATURES

Standard Heat Exchange System

- Stainless steel construction
- Seamless, high-pressure, rolled copper heating elements
- Adjustable water temperature control
- Heats water to 190°F plus*
- Teflon® lined, braided stainless steel hoses
- Hoses attach by stainless steel and chromate coated swivels
- No detergent passes through the Heat Exchanger except momentarily when priming Detergent Injection System
- Compact design
- Satin black finish

*Water temperature can exceed 220°F.

Recovery Tank

- Stainless steel construction with stainless steel interior frame, bracing and baffling
- 110-gallon tank provides storage of recovered water for future disposal*
- Two (2) removable lids and multi-pitched bottom for ease of periodic cleaning
- Inside bracket on lid to store the lid when changing or cleaning filter bag
- Removable nylon filter bag collects debris as recovered water enters the tank
- 2" Drain Valve for emptying tank rapidly
- Recovered water is piped to underside of vehicle to a 2" male cam-lock receptacle fitting (fitting adapts to an extension hose used for remote disposal, *see "Optional Equipment Section" for Recovery Tank Extension Hose details*)
- Auxiliary DC Outlet to power optional Automatic Pump-Out System
- Machine automatically shuts off when tank is full
- Sight Indicator with float to easily view water level in tank
- Stainless steel Screen Filter helps prevent debris from entering Vacuum/Blower
- Dual-wand fittings included
- Non-restrictive air flow design
- Silver texture finish


*Holding capacity may be reduced due to auto-off feature and parking angle when filling.

NOTE: A sign "Operating the Butler System Safely" is attached to each Recovery Tank, reminding operator(s) of the importance of safety. Sign location may vary depending upon vehicle and Optional Equipment selected.

Electrical Components

- Automotive "industry standards" wiring and connections
- Custom modular wiring harnesses
- Individually color-coded wires for ease of identification
- All circuits and components protected by fuses
- Automotive "industry standards" modular moisture resistant connectors
- Harnesses enclosed in high-temp loom
- Marine-grade contoured rocker switches with dual LED illumination
- Provisions for plug-in installation of Butler System Optional Equipment
- Color-coded items referenced to Schematic





Floor Wands (Choice of)

3-Jet Double Bend:

- Stainless steel construction
- 10" or 12" double bend design with a slanted head height of 3¹/₄" allows wand to reach and extend easily under furniture*
- Three stainless steel jets precision mounted on a stainless steel machined manifold 1⁷/₈" from surface (hot water and pressure are concentrated at optimum height and position for superior cleaning results)
- Spray shield to maximize heat concentration and help prevent high-pressure splash back on hard surface floors
- Stainless steel multi-position C-Handle with "soft-padded" cuff (adjustable without the use of tools)
- Stainless steel precision valve assembly with stainless steel plunger
- Stainless steel formed trigger with black nylon coating
- 1¹/₈" stainless steel, contour fit, high-pressure tubing from valve to manifold
- "Soft-padded" wand tube cuff for a sure and comfortable grip
- Remote water filter located at inlet of valve for ease of periodic cleaning
- Brass female quick disconnect
- Ultra Smooth Wand Glide allows wand to glide exceptionally easily over carpet, tile and all hard surface flooring

**Ultra Smooth Wand Glide increases head height by 3³/₈"*

OR

1-Jet Single Bend:

- Stainless steel construction
- 12" single bend design
- Single stainless steel jet
- Stainless steel multi-position C-Handle with "soft-padded" cuff (adjustable without the use of tools)
- Stainless steel precision valve assembly with stainless steel plunger
- Stainless steel formed trigger with black nylon coating
- Stainless steel adjustable handle with black nylon coating
- 1¹/₈" stainless steel, contour fit, high-pressure tubing from valve to manifold
- "Soft-padded" wand tube cuff for a sure and comfortable grip
- Remote water filter located at inlet of valve for ease of periodic cleaning
- Brass female quick disconnect

Wand Holder and Tray

- Stainless steel
- Located at side or rear door
- Positions wand for easy access
- Holds wand firmly in place
- Tray helps prevent remaining water in Floor Wand from dripping onto carpeted cargo area
- Silver texture and black satin finish

NOTE: Wand Holder, Tray design and location may vary depending upon equipment, options and vehicle selected.

STANDARD FEATURES

Stair Tool

- Stainless steel construction
- 2' long with a 5" wide angled head
- "Soft-padded" cuff for a sure and comfortable grip
- Single stainless steel jet
- Shielded spray jet to minimize overspray
- "T" handle with "soft-padded" cuff for two-handed control
- Brass valve assembly with stainless steel plunger
- Vinyl coated "light-touch" on/off trigger
- Brass female quick disconnect with "heat-protective" sleeve
- Remote water filter located at inlet of valve for ease of periodic cleaning
- No adjustments required to the Butler System

Stair Tool Bracket and Tray

- Spring steel Bracket
- Stainless steel Tray
- Located at side or rear door opening
- Holds Stair Tool firmly in place
- Tray helps prevent any remaining water in Stair Tool from dripping onto carpeted cargo area
- Satin black finish

NOTE: Stair Tool Bracket, Tray design and location may vary depending upon equipment, options and the vehicle selected.

Roof Protector Panel

- Located at side door when equipped with SideMount Fresh Water Holding Tank
- Helps prevent interior damage to roof of van when removing and replacing Floor Wand
- 10"W x 23"D
- High impact polystyrene material with radius corners
- White satin finish

NOTE: Not required with MidMount/RearMount floor plan layouts.

Vacuum Hose End Holder

- Stainless steel
- Located at side door
- Holds end of vacuum hose firmly in place
- Helps prevent any remaining water in vacuum hose from dripping onto cargo area flooring
- Accommodates 1 1/2" or 2" vacuum hose
- Silver texture finish





Vacuum Leader Hose

- 25' of 1½" hose with cuff
- 25' of 2" hose with barb connector
- 1½" to 2" smooth-flow aluminum Leader Hose Connector
- Heavy-duty co-extrusion for durability and flexibility
- Designed for extreme hot and cold climates
- Smooth inside bore
- Color light gray standard (orange available)




Vacuum Hose

- 100' of 2" vacuum hose with barb connector
- Heavy-duty co-extrusion for durability and flexibility
- Designed for extreme hot and cold climates
- Smooth inside bore
- Color light gray standard (orange available)

High-Pressure Hose

- 150' of ¼" heavy-duty, High-Pressure Hose (50', 100', 150' and 200' lengths available)
- Insulated for extreme hot and cold climates
- Flexible, durable, synthetic rubber compound
- Braided steel wire reinforced
- Non-scuff, non-marring
- Abrasion and detergent resistant
- Brass quick disconnects (stainless steel male quick disconnect on one (1) section)
- Chrome plated brass shut-off valve allows cleaning tools to be interchanged quickly and easily (not shown)
- Working pressure rating of 3,000 PSI
- Burst pressure rating of 12,000 PSI
- Operating temperature rating of 300°F continuous
- Heat sleeve for more comfortable handling
- Color light gray standard (yellow available)*

**Yellow High-Pressure Hose has an operating temperature rating of 250°F.*



Supply (Garden) Hose

- 50' of heavy-duty commercial rubber hose
- ⅝" diameter
- Flexible, durable synthetic compound
- Heavy-duty brass fittings
- Heavy-duty shut-off valve
- Heavy-duty brass quick disconnect (set not shown)
- Color light gray



STANDARD FEATURES

Hose Guide and Security Door

- Stainless steel door and surrounding
- 3¹/₂" diameter aluminum sleeve with smooth bore will allow hoses to glide easily through opening
- Steel Door Edge Guide protects vehicle's door edge mouldings and paint finish
- Located at side or rear door of vehicle*
- Close and lock vehicle while machine is in operation
- Secure valuables in vehicle
- Protect machine and vehicle from inclement weather
- Operate in extreme heat or sub zero temperatures
- Reduce noise levels in residential areas and/or during night time hours
- Reduce liability by preventing unauthorized personnel, children or pets from entering vehicle or accessing machine
- Align hose for ease of removal and rewinding on both Vacuum and Pressure Hose Reels
- Satin black finish





**An optional second Hose Guide/Security Door may be added at the side or rear door to accommodate a second set of hoses. See "Optional Equipment Section" for second Hose Guide/Security Door details.*

Side Door Stops

- Stainless steel with contoured black ABS knob
- Positions vehicle's sliding side door to align hose guide with Vacuum and Pressure Hose Reels (when equipped)
- Positioning allows hoses to glide through Hose Guide for ease of removal and recoiling of hoses on reels
- Easy removal allows sliding side door to return to factory position when full access to side opening is required
- Storage Holder provided when not in use (not shown)

NOTE: Not required for vehicles with swing-out doors.





Hose Storage Brackets (2)

- Steel construction
- Located on side wall(s) of vehicle or attached to Optional Equipment
- Accommodates storage of vacuum, pressure and supply hoses
- Available in several styles and lengths to accommodate mounting location(s)
- Rubber end bumpers
- Silver texture finish

Second Wand Holder and Tray

- Stainless steel
- Located at side or rear door
- Positions wand for easy access
- Holds wand firmly in place
- Tray helps prevent remaining water in Floor Wand from dripping onto carpeted cargo area
- Silver texture and black satin finish

NOTE: A second Wand Holder and Tray is provided when an additional wand is requested at time of order. Wand Holder, Tray design and location may vary depending upon equipment, options and vehicle selected.

Simulator Nozzle

- Simulates the water volume of a standard 1-Jet, 3-Jet or 5-Jet Wand
- Provides a convenient way to check or adjust pressure setting, detergent flow rate or water temperature without attaching wand
- #8005 brass tee jet
- Brass quick disconnect

Simulator Nozzle Holder

- Spring steel
- Located at side door
- Holds Simulator Nozzle firmly in place
- Black vinyl coated

Lubricants for First Service

- One (1) 21 oz. bottle of premium High-Pressure Pump oil
- One (1) quart of Vacuum/Blower oil (specifically blended synthetic) for Butler Standard and Maximum Vacuum/Blower Systems
- One (1) 3' length of clear tubing (with fittings) for washing the internal lobes of the Vacuum/Blower
- One (1) 3' length of clear tubing (without fittings) for draining oil from the High-Pressure Pump

NOTE: Lubricants provided are for specific applications and may vary from illustration.

STANDARD FEATURES

Floor Covering

- Marine grade carpet covering
- Water and chemical resistant
- Non-absorbent
- Fast drying
- Custom fitted to complete cargo area
- Color-coordinated black/gray


NOTE: The existing cargo area floor material supplied with the vehicle is removed and refitted with a water and chemical-resistant floor covering. The manufacturer's original matting or some replacement type floor materials (i.e. underpadding) may cause moisture to be trapped beneath the floor covering and accelerate rust and/or corrosion.

Butler System Schematic

- Two (2) multi-colored, numbered Schematics provided:
 1. Folded and included in Owner's Manual
 2. Laminated on a pull-down, retractable holder located at side door of vehicle
- Each component pictorialized, color-coded, sequentially numbered and indexed
- Provides easy-to-understand, written description and visual reference for each machine component

Check, Maintain, Service and Test Chart

- Aluminum construction
- Located on the underside of Equipment Shroud flip-up lid
- Black, white and silver panel is stain, detergent and scratch resistant
- Provides a practical reference for Daily, Weekly and Monthly Checks, Maintenance, Service and Tests





Owner's Manual

Every Butler System is provided with a comprehensive Owner's Manual. This manual has been prepared to better acquaint you with the operation and servicing of your Butler System.

Helpful guides and pictures are conveniently referenced and will assist you in answering many of your questions regarding: Design Features, System Operations, Maintenance, Diagnostic Checks, Winterizing, Warranty and Administrative information.

NOTE: *Owner's Manual is also available on our website at butlersystem.com.*



Maintenance Records Booklets

Maintenance of the Butler System is a key factor in its continued dependability, longevity and future value.

Every new Butler System is provided with a Maintenance Record Booklet for each year of the warranty coverage period and a hard cover three-ring binder to keep the booklet in. The binder has a vinyl sleeve that can accommodate required receipts.

The maintenance Booklets provide a convenient and organized method for recording the completion of recommended Checks, Maintenance, Services and Tests to the Butler System, as well as, a simple format to log maintenance and services performed to the vehicle.



Safety Data Sheets Binder

All cleaning and restoration products are required to be accompanied by a Safety Data Sheet (SDS). A Safety Data Sheet provides important information regarding product and hazard identification, composition/information on ingredients, first aid, fire fighting and accidental release measures, handling and storage, exposure control/personal protection, physical data, stability and reactivity, toxicological and ecological information, disposal considerations, transport and regulatory information and other pertinent product related information.

A bright yellow, Three-Ring Binder is supplied with every new and pre-owned Butler System to conveniently accommodate this information.

NOTE: *A SDS is available for every cleaning and restoration product sold by The Butler Corporation and can be found on our website butlersystem.com.*



Binder Holder

All new and pre-owned Butler Systems are equipped with an aluminum constructed, silver textured Binder Holder to accommodate the Owner's Manual and the Safety Data Sheets. This holder also provides a convenient and organized place to store other related business documents.

Dual-Wand Features

- Machine designed for “dual-wand cleaning”
- 3-Position Speed Control Switch allows operator to simultaneously select high speed for both High-Pressure Pump and Vacuum/Blower to increase water and air volume
- Dual Pressure Hose Quick Disconnects on front panel for units not equipped with Optional Pressure Hose Reel(s) or in addition to a Pressure Hose Reel
- Vacuum hose can be connected directly to second Recovery Tank inlet for units not equipped with Optional Vacuum Hose Reel(s) or in addition to a Vacuum Hose Reel
- Color-coded items referenced to Schematic
- No adjustments to the Butler System are necessary for dual-wand performance

Fabric Cleaning Features

- Machine designed for fabric and upholstery (wet) cleaning
- 3-Position Speed Control Switch allows operator to simultaneously select speed of High-Pressure Pump and Vacuum/Blower for water and air volume best suited for cleaning fabrics ranging from delicate to commercial grade

Hard Surface Cleaning Features

- Machine designed for hard surface cleaning*
- 3-Position Speed Control Switch allows operator to simultaneously select speed of High-Pressure Pump and Vacuum/Blower for water and air volume best suited for cleaning hard surfaces
- Easily adjustable Unloader Control Valve increases or decreases pressure to desired setting (350–1200 PSI)
- Adjustable water temperature control*

**Water temperature can exceed 190°F with Standard Heat Exchange System and 240°F with optional Maximum Heat Exchange System*

Pressure Washing Features

- Light pressure washing versatility
- Adaptable with most pressure washing attachments
- High-Pressure Pump can be regulated for pressures from 350 to 1200 PSI
- Water volume of five (5) gallons per minute at 1200 PSI

Water Extraction Features

- Machine designed to extract standing water*
- 3-Position Speed Control Switch allows operator to increase Vacuum/Blower air volume
- Electric Clutch feature on High-Pressure Pump allows Vacuum/Blower to be engaged while pump is disengaged
- Machine automatically shuts off when Recovery Tank is full
- No adjustments to the Butler System are necessary for extracting standing water

**Submersible pump recommended for standing water greater than 1".*

OUR PASSION FOR BUILDING
A HIGH-QUALITY MACHINE IS
REFLECTED IN THE PRIDE
AND CARE INHERENT IN
EACH BUTLER SYSTEM
MANUFACTURED.

**VEHICLE CAN BE CLOSED
AND LOCKED FOR SECURITY
AND LIABILITY PURPOSES
WHEN OPERATING.**

**NO OTHER CLEANING
MACHINE IS MANUFACTURED
AND SUPPORTED TO A
HIGHER STANDARD THAN
THE BUTLER SYSTEM.**

Safety and Security Features

- The Butler System has been provided with a Key Activated ON/OFF Switch to allow only authorized personnel to operate the Butler System.
- Machine is intended to be used only when the vehicle's shift selector is in the PARK "P" position and the parking brake firmly set.
- Unit is equipped with a Security Door/Hose Guide to allow machine to operate while all doors and windows are closed and locked.
- Machine is fully enclosed in an Equipment Shroud.
- Machine is designed to shut off automatically when the Recovery Tank is full.
- To help prevent machine from being immediately engaged after it has been shut-off, an eight second delay feature is incorporated.
- The machine is designed with an automatic shut-off feature, should the vehicle's engine overheat.
- The Owner's Manual which accompanies the Butler System includes a comprehensive section titled "Important Warnings, Cautions and Notices." It is intended to acquaint anyone who operates, works with or services the equipment with important information regarding operation and safety requirements.
- A placard with instructions for "Operating the Butler System Safely" is also affixed to the equipment and is visible to anyone who operates the equipment.

Important Weight Information

The Butler Corporation manufactures specific Butler System components to be in compliance with the vehicle manufacturer's Gross Vehicle Weight Rating (GVWR). GVWR is the maximum amount of weight allowable as established by the vehicle manufacturer for the vehicle, equipment, payload, fuel and occupants. It is important to consider the total of all intended weight to be carried when purchasing or supplying a vehicle for the installation of a new or pre-owned Butler System.

Additions, Deletions or Replacements

The Butler System is manufactured to order. Requests for additions, deletions or replacements must be made prior to machine production. A credit of 50% of the original price for each item will be given when deleting an item in the "Standard Features" section i.e. Floor Wand, Stair Tool, Vacuum Hose, Pressure Hose, etc. Full credit will be given on any of these items when replaced with items of equal or greater value. "Preferred Equipment Packages" do not qualify as replacement items.

Specifications and Descriptions

Standard Features, Preferred Equipment Packages, Optional Equipment specifications and prices are subject to change without notice.

Exclusive to Butler System Owners

Parts, components and most Optional Equipment available from The Butler Corporation are intended, solely, for Butler System owners and are not made available to be used with any other brand or type of equipment.



the **butler** *System*

CREATED FOR PROFESSIONALS
WHO HAVE HIGH STANDARDS
AND APPRECIATE QUALITY.





A QUALITY PRODUCT IS ONE THAT LOOKS AND FEELS FINISHED, WITH NOTHING OVERLOOKED, IGNORED OR SHORTCHANGED.

PREFERRED EQUIPMENT PACKAGES

Preferred Equipment Packages offer a substantial savings compared to items purchased individually. The combination of items and features included in these value-priced packages are a convenient and economical means to increase the utility of the Butler System and satisfy your business requirements.

DESCRIPTION	PACKAGE #1	PACKAGE #2	PACKAGE #3
Storage Tray Unit(s)	•		
Storage Shelf Unit	•		
Furniture Tab Storage Container	•		
Furniture Block Storage Container	•		
Pressure Spray Tank Storage Containers (2)	•		
Rolatape Holders (measuring wheel holder)	•		
Upholstery Tool Storage Container and Holder	•		
Carpet Rake Holders (2 Sets)	•		
Wash Rack	•		
Butler Maximum Cleaning Products	•		
Butler Portfolio	•		
110-gallon stainless steel MidMount/RearMount or SideMount Fresh Water Holding Tank with: Stainless steel interior frame and bracing Automatic Water Fill/Shut-Off Water Level Sight Indicator 5/8" Heavy-Duty Brass Drain Valve Access Cap with Electric Float Switch		•	
Continuous live aluminum Vacuum Hose Reel with storage capacity for 200' of hose (25' of 1 1/2" and 175' of 2")			•
Continuous live aluminum Pressure Hose Reel with storage capacity for 200' of hose			•
<i>Preferred Equipment Packages include factory installation when ordered and installed with the Butler System.</i>	•	•	•

PREFERRED EQUIPMENT PACKAGE PRICE:	\$1,695.⁰⁰	\$2,995.⁰⁰	\$2,695.⁰⁰
Price if items were purchased individually:	\$1,932. ⁰⁰	\$5,560. ⁰⁰	\$3,550. ⁰⁰
Preferred Equipment Package price savings:	\$237. ⁰⁰	\$2,565. ⁰⁰	\$855. ⁰⁰

SAVE A TOTAL OF \$3,657 when purchased and installed at time of order.

A request to substitute or delete any Preferred Equipment Package item will result in each item priced as if individually purchased.

NOTE: Prices in this brochure are for new and pre-owned Butler Systems purchased and installed as a complete system only. Prices for parts and components sold separately may not be the same. Preferred Equipment Package items may be reconfigured, included as standard features and priced accordingly, when installed in a cube van or truck. Details and pricing available upon request.




**INDIVIDUALIZE THE
BUTLER SYSTEM
WITH A DESIRABLE
COMBINATION OF
PREFERRED
EQUIPMENT
PACKAGES.**

CARGO AREA
SPACIOUSNESS HAS
BEEN MAXIMIZED WITH
SPACE SAVING FLOOR
PLAN LAYOUTS.

MidMount Floor Plan

Shown with Fresh Water Holding Tank mounted in mid area
of van and Preferred Equipment Packages 1, 2 and 3 installed.



Floor plan is to exact scale in a Standard Length Van.

PREFERRED EQUIPMENT PACKAGES




Shown installed in a Standard Length Van.

THOUGHTFUL
LAYOUT AND LOGICAL
ARRANGEMENT OF
COMPONENTS
DEMONSTRATE THE
IMPORTANCE WE
PLACE ON OPERATOR
EFFICIENCY.

SideMount Floor Plan

Shown with Fresh Water Holding Tank mounted on right side
of van and Preferred Equipment Packages 1, 2 and 3 installed.



Floor plan is to exact scale in a Standard Length Van.

PREFERRED EQUIPMENT PACKAGES




Shown installed in a Standard Length Van.

RearMount Floor Plan

Shown with Fresh Water Holding Tank mounted in rear area of van and Preferred Equipment Packages 1, 2 and 3 installed.

THE BUTLER SYSTEM
IS ASSEMBLED AND
INSTALLED AT
OUR FACTORY BY
DEDICATED CRAFTSMEN.



Floor plan is to exact scale in a Standard Length Van.

PREFERRED EQUIPMENT PACKAGES



Shown installed in a Standard Length Van.



PACKAGE #1

Storage Tray Units (Standard and shortened widths)

- Aluminum construction
- Located at rear opening for convenient storage of air movers or other large items*
- Two (2) Storage Tray Units with MidMount and RearMount Fresh Water Holding Tank layouts – one (1) Storage Tray Unit and one (1) Storage Shelf Unit with SideMount Fresh Water Holding Tank layout (see Storage Shelf Unit below)
- Two-tier unit
- Overall height 39"
- Top tray 42"W x 11"D with 2¹/₂" sides (shorter 28"W)*
- Bottom tray 42"W x 20"D with 2" and 4" sides (shorter 28"W)*
- Slotted holes through surrounding perimeter to accommodate use with tie-downs
- Two (2) tie-downs (not shown)
- Padding on each tray to help protect finish
- Space under tray units for extra storage
- Silver texture finish

Price:

\$495.00 standard (if purchased individually)

\$425.00 shortened (if purchased individually)

**Storage Tray Units width, depth, height and location will be chosen depending upon other equipment options, Fresh Water Holding Tank, Vacuum and Pressure Hose Reel location and vehicle selected.*

Storage Shelf Unit

- Aluminum construction
- Located at rear door opening for convenient storage of cleaning products, spotting kit and miscellaneous supplies and accessories
- One (1) Storage Shelf Unit with SideMount Fresh Water Holding Tank layout
- Three-tier unit
- Overall height 36"
- Each shelf 21"W x 11"D with 2" sides
- Slotted hole locations to accommodate use with bungee cords
- Two (2) bungee cords (not shown)
- Padding on each shelf to help protect finish
- Liftout plastic tote tray with handle
- Silver texture finish

Price: \$495.00 (if purchased individually)

PREFERRED EQUIPMENT PACKAGES

PACKAGE #1

Furniture Tab Storage Container (3" x 3")

- Aluminum construction
- Located near side door opening
- Holds approximately 3,500 (3" x 3") tabs
- Silver texture finish

Price: \$75.00 (if purchased individually)

Note: 4" x 4" Furniture Tab Storage Container available. See "Optional Equipment Section" for details.

Furniture Block Storage Container

- Aluminum construction
- Mounts on rear door of van
- Holds up to 240 styrofoam blocks
- 11"W x 5"D x 9"H
- Silver texture finish

Price: \$95.00 (if purchased individually)



NOTE: Furniture Block Storage Container location may vary depending upon equipment, options and vehicle selected.


Pressure Spray Tank Storage Containers (2)

- Aluminum construction
- Two (2) holders, each mounted on rear door of van
- Each holder stores a 1, 2, 3-gallon size Pressure Spray Tank or Pressure Spray Applicator (modified Hydro-Force™)
- 8½"W x 8½"D with 9" sides
- Padding on base helps protect finish
- Silver texture finish

Price: \$190.00 set (if purchased individually)

NOTE: Pressure Spray Tank Storage Containers location may vary depending upon equipment, options and vehicle selected.





PACKAGE #1

Rolatape Holders

(Measuring Wheel Holder)

- Spring steel
- Located at rear door opening
- Holds measuring wheel firmly in place
- Black vinyl coated

Price: \$10.⁰⁰ per set *(if purchased individually)*

NOTE: Rolatape Holders location may vary depending upon equipment, options and vehicle selected.

Upholstery Tool Storage Container and Holder

- Aluminum construction
- Mounts on rear door of van
- Holds Upholstery Tool head firmly in place and stores hose in container
- Spring steel holder with black vinyl coating
- Size 13"W x 4¹/₂"D with 9" sides
- Silver texture finish

Price: \$95.⁰⁰ *(if purchased individually)*

NOTE: Upholstery Tool Storage Container and Holder location may vary depending upon equipment, options and vehicle selected.

Carpet Rake Holder Sets (2)

- Spring steel
- Holds carpet rakes firmly in place
- Two sets, roof mounted
- Positioned for convenient access from rear door opening
- Black vinyl coated

Price: \$32.⁰⁰ for two sets/2 per set *(if purchased individually)*

Wash Rack

- Stainless steel construction
- Convenient for washing Filter Bags
- Fits in a 4 or 5 gallon pail for easy disposal of debris

Price: \$65.⁰⁰ *(if purchased individually)*

NOTE: Filter Bag included as Standard Equipment with the Butler System.

PREFERRED EQUIPMENT PACKAGES

PACKAGE #1

Butler Maximum Cleaning Products

- Maximum Truckmount Detergent 2 1/2 gallon
- Maximum Traffic Lane Cleaner 2 1/2 gallon
- Maximum Orchard Fresh Deodorizer 2 1/2 gallon
- Maximum Multi-Surface Cleaner 32 ounce
- Maximum Stain Remover 16 ounce
- Maximum Gel Gum Remover 16 ounce
- Maximum Rust Remover 16 ounce
- Maximum Desolv 16 ounce

Price: \$330.00 (if purchased individually)

Butler Portfolio

- A Butler monogrammed portfolio with estimating pad

Price: \$50.00 (if purchased individually)



Installation of Preferred Equipment Packages

Preferred Equipment Packages include factory installation when ordered and installed with the Butler System.

The installation of some Preferred Equipment Packages and Optional Equipment items require that they be integrated with the Butler System Standard Features during production. Many of these items must be installed prior to others and requests for additions, deletions or replacements once the machine enters production may result in additional charges.

NOTE: Preferred Equipment Package items may be reconfigured, included as Standard Equipment and priced accordingly, when installed into cube vans and trucks. Details and pricing available upon request.

Price of Preferred Equipment Package #1

Price: \$1,695.00

Factory installation included.

Value: \$1,932.00 (if purchased individually)



MidMount/RearMount Tank
with Remote Multifunction
Panel



SideMount Tank with Built-in Multifunction
Panel

PACKAGE #2

110-Gallon Fresh Water Holding Tanks with Multifunction Panel

Choice of MidMount (in mid area of van), SideMount (over passenger side wheel well) or RearMount (in rear of van)

- Stainless steel construction, stainless steel interior frame and bracing
- A 110-gallon tank provides for the storage of fresh water*
- Automatic Water Fill/Shut-Off with 3-stage LED lighted Activation Switch (OFF-ON-FILL)
- Tray helps prevent remaining water in Automatic Water Fill/Shut-Off from dripping onto carpeted cargo area
- Sight indicator with float to easily view water level in tank
- $\frac{5}{8}$ " heavy-duty brass drain valve
- Cap on end of valve for preventing accidental discharge
- Access Cap with Electric Float Switch
- Vacuum end hose holder helps prevent any remaining water in vacuum hose from dripping onto carpeted cargo area—accommodates 1 $\frac{1}{2}$ or 2" vacuum hose
- Silver texture finish

Price: \$5,241.⁰⁰ (if purchased individually)

**Holding capacity may be reduced slightly due to automatic shut-off feature and parking angle.*

NOTE: A sign "Operating the Butler System Safely" is attached to remind operator(s) of the importance of safety. Sign location may vary depending upon equipment selected. This tank must be installed in accordance with the Butler System and vehicle combination that complies with the vehicle manufacturer's Gross Vehicle Weight Rating (GVWR).

A Butler Sales Representative will be pleased to advise you which tank location would be best suited based on your requirements.

Price of Preferred Equipment Package #2

Price: \$2,995.⁰⁰

Factory installation included.

Value: \$5,560.⁰⁰ (if purchased individually)

PREFERRED EQUIPMENT PACKAGES

PACKAGE #3

Vacuum Hose Reel

- Aluminum construction with Teflon® bushing glides
- Located at side or rear door opening
- Continuously live (remove length of hose required and remainder stays attached on reel)
- Storage capacity for 200' of vacuum hose (25' of 1½" and 175' of 2")
- Drag brake allows for tension adjustment
- Aluminum 2" hose barb for removing vacuum hose from reel
- Designed to utilize a minimum amount of floor space
- Available in two heights (height determination based on Optional Equipment selected)
- Silver texture finish

Price: \$2,075.00 (if purchased individually)


NOTE: Electrically operated Vacuum Hose Reel available (see "Optional Equipment Section"). Vehicle may be equipped with two (2) sets of Vacuum Hose Reels.

Pressure Hose Reel

- Aluminum construction with Teflon® bushing glides
- Located at side or rear door opening
- Continuously live (remove length of hose required and remainder stays attached on reel)
- Storage capacity for 200' of high pressure hose
- Drag brake allows for tension adjustment
- Brass quick disconnect for easy removal of pressure hose from reel
- Guides for easy removal and replacement of vacuum hose onto vacuum hose reel (when equipped)
- Designed to utilize a minimum amount of floor space
- Available in two heights (height determination based on Optional Equipment selected)
- Silver texture finish

Price: \$1,475.00 (if purchased individually, hardware and connecting hoses included)

NOTE: Electrically operated Pressure Hose Reel available (see "Optional Equipment Section"). Vehicle may be equipped with two (2) sets of Pressure Hose Reels. See "Optional Equipment Section" for additional Pressure Hose Reel.



Price of Preferred Equipment Package #3

Price: \$2,695.00 set

Factory installation included.

Value: \$3,550.00 (if purchased individually)




**SAFETY
DATA SHEETS**

**OWNER'S
MANUAL**

the butler *System*

251 Moody Street • Ludlow, MA 01054 • 1-800-535-5425



NO OTHER MACHINE IS MORE USER FRIENDLY, SIMPLER
TO OPERATE, AS RELIABLE OR EASIER TO MAINTAIN.

OPTIONAL EQUIPMENT

An extensive selection of Optional Equipment is available to help tailor the Butler System to meet your business requirements. Each item is integrated with features that are the result of careful planning. These are not “add-on” afterthoughts. Every feature was developed to demonstrate the importance we place on operator efficiency and a focus toward operator ease and convenience, which ultimately results in higher productivity.

All Optional Equipment is precisely manufactured for fit, performance and durability and then meticulously finished to coordinate and complement the Butler System.

Optional Equipment includes factory installation when ordered and installed with the Butler System.

NOTE: Prices in this brochure are for new and pre-owned Butler Systems purchased and installed as a complete system only. Prices for parts and components sold separately may be different. Optional Equipment items may be reconfigured, included as Standard Features and priced accordingly, when installed in a cube van or truck. Details and pricing available upon request.



See Warranty Booklet
for complete coverage
details and limitations.




ALL OPTIONAL EQUIPMENT IS
EXPERTLY MANUFACTURED
FOR FIT, PERFORMANCE
AND DURABILITY.

PROTECTED WITH OUR
EXCLUSIVE, DURABLE,
FIVE-STEP, SILVER
TEXTURED FINISH.

MidMount Floor Plan

Shown with Fresh Water Holding Tank mounted in mid area of van, Preferred Equipment Packages 1, 2 and 3, Optional Equipment and Accessories.

INDIVIDUALLY BUILT TO
CUSTOMERS' SELECTIONS
AT OUR FACTORY.



Floor plan is to exact scale in a Standard Length Van.

OPTIONAL EQUIPMENT




Shown installed in a Standard Length Van.

SideMount Floor Plan

Shown with Fresh Water Holding Tank mounted on right side of van, Preferred Equipment Packages 1, 2 and 3, Optional Equipment and Accessories.

CHOOSE THE EQUIPMENT
AND OPTIONS THAT BEST
SUIT YOUR BUSINESS
REQUIREMENTS.



Floor plan is to exact scale in a Standard Length Van.

OPTIONAL EQUIPMENT




Shown installed in a Standard Length Van.

RearMount Floor Plan

Shown with Fresh Water Holding Tank mounted in rear area of van, Preferred Equipment Packages 1, 2 and 3, Optional Equipment and Accessories.

YOU MAY CHOOSE TO
INDIVIDUALIZE YOUR
BUTLER SYSTEM.



Floor plan is to exact scale in a Standard Length Van.

OPTIONAL EQUIPMENT



Shown installed in a Standard Length Van.



Maximum Vacuum/Blower System

- Vacuum/Blower customized to Butler specifications with Low, Normal and High Speed features
- Capacity to displace over 575 cubic feet of air per minute (CFM)
- Includes 3" custom smooth-flow steel fittings, hose and couplers from Recovery Tank through entire Vacuum/Blower and Silencer System for maximum performance and air flow
- 3-Position Speed Control Switch adjusts Vacuum/Blower speed (air volume) for delicate upholstery, carpet, hard surface and "dual-wand cleaning"
- Automatic Belt Tensioner
- Easy to view Oil Level Indicators
- Panel-mounted Lubricating Port for convenient servicing (not shown)
- Remote Oil Drain Valves for ease of servicing
- Couples to Ultra-Quiet Silencer System
- Complimentary Vacuum/Blower oil for first oil change
- Color-coded items referenced to Schematic
- Satin black finish

Price: \$1,495.00

(additional when ordered in place of the Butler Standard Vacuum/Blower)



Maximum Heat Exchange System

- Stainless steel construction
- Seamless, high pressure, rolled copper heating elements
- Adjustable Water Temperature Control
- Heats water up to 240°F plus*
- Teflon® lined, braided stainless steel hoses
- No detergent passes through Heat Exchanger except momentarily when priming Detergent Injection System
- Compact design
- Satin black finish

**Water temperatures may exceed 240°F*

Price: \$1,995.00

Factory installation included.

OPTIONAL EQUIPMENT

Floor Wands

A 3-Jet Double Bend or 1-Jet Single Bend wand is standard with the Butler System.

3-Jet Double Bend

- Stainless steel construction
- 10" or 12" double bend design with a slanted head height of 3¹/₄" allows wand to reach and extend easily under furniture*
- Three stainless steel jets precision mounted on a stainless steel machined manifold 1⁷/₈" from surface (hot water and pressure are concentrated at optimum height and position for superior cleaning results)
- Spray shield to maximize heat concentration and help prevent high-pressure splash back on hard surface floors
- Stainless steel multi-position C-Handle with "soft-padded" cuff (adjustable without the use of tools)
- Stainless steel precision valve assembly with stainless steel plunger
- Stainless steel formed trigger with black nylon coating
- 1/8" stainless steel, contour fit, high-pressure tubing from valve to manifold
- "Soft-padded" wand tube cuff for a sure and comfortable grip
- Remote water filter located at inlet of valve for ease of periodic cleaning
- Brass female quick disconnect
- Ultra Smooth Wand Glide allows wand to glide exceptionally easily over carpet, tile and all hard surface flooring

**Ultra Smooth Wand Glide increases head height by 3/8"*

Price:

\$895.⁰⁰ 10" Wand.

\$950.⁰⁰ 12" Wand.

1-Jet Single Bend

- Stainless steel construction
- 12" single bend design
- Single stainless steel jet
- Stainless steel multi-position handle with "soft-padded" cuff (adjustable without the use of tools)
- Stainless steel precision valve assembly with stainless steel plunger
- Stainless steel formed trigger with black nylon coating
- Stainless steel adjustable C-Handle with "soft-padded" cuff
- 1/8" stainless steel, contour fit, high-pressure tubing from valve to manifold
- "Soft-padded" wand tube cuff for a sure and comfortable grip
- Remote water filter located at inlet of valve for ease of periodic cleaning
- Brass female quick disconnect

Price: \$895.⁰⁰





5-Jet • 14" and 18" Double Bend

- Stainless steel construction
- Double bend design with a slanted head height of 3¹/₄" allows wand to reach and extend easily under furniture
- Mid-range 14" 5-Jet Floor Wand designed for use on residential and commercial carpet. Improves productivity by an estimated 50%
- Extra large 18" 5-Jet Floor Wand designed for use on commercial-grade carpet only. Improves productivity by an estimated 75%
- Five stainless steel jets precision mounted on a machined stainless steel manifold 1⁷/₈" from carpeted surface (hot water and pressure are concentrated at optimum height and position from carpet for superior cleaning results)
- Spray shield to maximize heat concentration and help prevent high-pressure splash back on hard surface floors
- Stainless steel multi-position C-Handle with "soft-padded" cuff (adjustable without the use of tools)
- Stainless steel precision valve assembly with stainless steel plunger
- Stainless steel formed trigger with black nylon coating
- Stainless steel adjustable handle with black nylon coating
- 1¹/₈" stainless steel, contour fit, high-pressure tubing from valve to manifold
- "Soft-padded" wand tube cuff for a sure and comfortable grip
- Remote water filter located at inlet of valve for ease of periodic cleaning
- Brass female quick disconnect
- No adjustment required to the Butler System
- Ultra Smooth Wand Glides allow wand to glide exceptionally easily over carpet, tile and all hard surface flooring

Price:

\$100.⁰⁰ (additional for 14" Floor Wand when purchased in place of 3-Jet or 1-Jet Wand)

\$155.⁰⁰ (additional for 18" Floor Wand when purchased in place of 3-Jet or 1-Jet Wand)

\$995.⁰⁰ for 14" Floor Wand.

\$1,050.⁰⁰ for 18" Floor Wand.

NOTE: Wand location may vary depending upon equipment, options and vehicle selected. Ultra Smooth Wand Glides increase head height by 3³/₈". High-Pressure Pump capacity is 5 gallons per minute at 500 PSI. Dual use of some rotary jet scrubbers and multi-jet wand combinations could decrease hot water temperature, water pressure and water flow. Adjustments and/or modifications may be necessary.

NOTE: A second Wand Holder and Tray is provided when an additional wand is requested at time of order. Wand Holder, Tray design and location may vary depending upon equipment, options and vehicle selected.

OPTIONAL EQUIPMENT

Ultra Smooth Wand Glides

- Lightweight polymer composite material
- Allows wand to glide exceptionally easily over carpet, tile and all hard surface flooring
- Conforms to operator's height
- Designed for easy installation and removal
- Protects baseboard, furniture and trim
- Non-scuff, non-marring
- Available in two unique designs:
 - Serrated for carpet and smooth hard surfaces
 - Plain for textured hard surfaces (tile, rough concrete, etc.)

Price:

\$140.⁰⁰ Serrated or plain for 3-Jet 10" Double Bend Wand.

\$145.⁰⁰ Serrated or plain for 3-Jet 12" Double Bend Wand.

\$172.⁰⁰ Serrated or plain for 5-Jet 14" Double Bend Wand.

\$182.⁰⁰ Serrated or plain for 5-Jet 18" Double Bend Wand.

Storage Platform

Optional with SideMount Floor Plan Only



- Aluminum construction
- Mounted in center of cargo area for convenient access from both side and rear door openings
- Can be used to carry loose rugs, carpet, carpet pad, air movers, etc.
- Cantilevered front plate folds for unobstructed access to machine
- Cantilevered rear plate extends platform to accommodate extra storage
- Cantilevered rear plate folds when not in use, providing unobstructed access to rear cargo area
- Can be installed with vacuum and pressure hose reels
- Slotted holes through surrounding perimeter to accommodate use of tie-down straps
- Two (2) tie-down straps (not shown)
- Overall length of platform unfolded is 79" (folded length is 64")
- Platform is 26" wide with 4" fixed front and sides
- Platform is 32" from floor and 18" to van roof (height may vary depending upon van manufacturer and equipment)
- Designed to accommodate either regular or Electric Vacuum Hose Reel
- Silver texture finish



Price: \$1,695.⁰⁰

Factory installation included.

NOTE: Not available with MidMount/RearMount Fresh Water Holding Tank or 210-Gallon Recovery Tank. This Storage Platform must be installed in accordance with the Butler System and vehicle combination that complies with the Gross Vehicle Weight Rating (GVWR) of the vehicle.

Required location may limit the installation of other additional optional equipment.





210-Gallon Recovery Tank

Optional with SideMount or RearMount Floor Plans Only

- Stainless steel construction with stainless steel interior frame, bracing and baffling
- 210-gallon tank provides storage of recovered water for future disposal*
- Designed to accept Vacuum Hose Reel without utilizing additional floor space
- Machine automatically shuts off when tank is full
- Two (2) removable lids and multi-pitched bottom for ease of periodic cleaning
- Inside bracket on lid to store the lid when changing or cleaning filter bag
- Removable nylon filter bag collects debris as recovered water enters tank
- Stainless steel screen filter prevents debris from entering Vacuum/Blower
- Sight indicator with float to view water level in tank
- 2" Drain Valve for emptying Recovery Tank rapidly
- Recovered water is piped to underside of vehicle to a 2" male cam-lock receptacle fitting (fitting adapts to an extension hose used for remote disposal, see "Optional Equipment Section" for Recovery Tank Extension Hose details)
- Auxiliary DC outlet to power optional Automatic Pump-Out System
- Non-restrictive air flow design
- Dual-wand fittings included
- Designed to accommodate regular or Electric Vacuum Hose Reel
- Silver texture finish

**Holding capacity may be reduced due to automatic shut-off feature and parking angle.*

Price: \$2,095.00

(when ordered in place of the 110-gallon Recovery Tank)

NOTE: Not available with MidMount Fresh Water Holding Tank. This tank must be installed in accordance with the Butler System and vehicle combination that complies with the Gross Vehicle Weight Rating (GVWR). Two Vacuum and Pressure Hose Reels may be used when a vehicle is equipped with this tank. A Butler Sales Representative will be pleased to provide the vehicle models that are suitable for this installation.

Dual removable Nylon Filter Bags with Adapter Tray and hardware.

Price: \$185.00

(when ordered in place of single Nylon Filter Bag)

Pleated Screen Filter

Optional with all Recovery Tanks

- Stainless steel construction
- Stainless steel frame
- Provides three (3) times the surface area of the Standard Screen Filter
- Less frequent cleaning required
- Easy removal for periodic cleaning
- Non-restricted air flow

Price: \$215.00

(when ordered in place of Standard Screen Filter)

OPTIONAL EQUIPMENT

Pressure Spray Applicator (Modified Hydro-Force™)

- Activated by attaching to high-pressure hose
- Ideal for applying pretreatment or post treatment products
- Automatically mixes full-strength liquid with water at a controlled ratio
- Applies product hot or cold
- Heavy-duty Pressure Spray Gun with quick disconnect
- Sure and comfortable hand grip constructed of high-impact plastic
- 20" extension lance with insulated grip
- Positive trigger shut-off
- High-pressure extension hose with crimped fittings and quick disconnect
- Dramatically reduces application time
- Eliminates need for extra Pump-Up Pressure Spray Tanks
- Increases cleaning results
- Sprays evenly under a constant pressure
- Easy to change product containers
- Ability to easily change dilution ratios
- One #8005 brass Pre-Spray Applicator Nozzle with quick disconnect
- No adjustment required to the Butler System
- One #2508 stainless steel Pressure Washing Nozzle with quick disconnect provided, so Pressure Spray Gun may be used separately for pressure washing

Price: \$359.⁰⁰

Additional Containers

Price: \$6.⁰⁰ each

Pressure Spray Applicator Rack, Gun Holder, Nozzle Holder and Tray

Two (2) Pressure Spray Tank Storage Containers (of a different design) are included with Preferred Equipment Package #1

Rack:

- Aluminum construction
- Located at side or rear door opening
- Holds Pressure Spray Applicator and extension hose
- 10"W x 7¹/₂"D x 5"H
- Silver texture finish

Gun Holder, Nozzle Holder and Tray:




- Spring steel and stainless steel
- Holds Pressure Spray Gun firmly in place
- Holds Pressure Washing Nozzle firmly in place
- Tray helps prevent remaining water in gun from dripping onto carpeted cargo area
- Satin black finish

Price: \$125.⁰⁰

Factory installation included.

NOTE: Pressure Spray Applicator Rack, Gun Holder, Nozzle Holder and Tray location may vary depending upon equipment, options and vehicle selected.





Pressure Spray Gun

- Located at side door opening
- Heavy-duty, high-pressure gun
- Hand grip constructed of high-impact plastic for a sure and comfortable grip
- 20" extension lance with insulated grip
- #2508 stainless steel Pressure Washing Nozzle with quick disconnect
- Temperature rated to 300°F
- Volume rated to 10 GPM at 4,000 PSI
- Positive trigger shut-off
- Brass quick disconnect

Price: \$145.⁰⁰

NOTE: This is the same Pressure Spray Gun that is included with the Pressure Spray Applicator. Location may vary depending upon equipment, options and vehicle selected.

Pressure Spray Gun Holders

- Spring steel
- Located at side door opening
- Holds Pressure Spray Gun firmly in place
- Black vinyl coated

Price: \$8.⁰⁰ per set

Factory installation included.

NOTE: These are the same Pressure Spray Gun Holders included with the Pressure Spray Applicator Rack, Gun and Nozzle Holder. Location may vary depending upon equipment, options and vehicle selected.

Pressure "T"

- Convenient method for attaching two (2) pressure hoses to one pressure hose
- Use for connecting combinations of attachments such as Floor Wands, Pressure Spray Applicators (Hydro-Force™), Stair Tool, Upholstery Tool, etc.
- Brass quick disconnects

Price: \$75.⁰⁰

NOTE: Dual use of some rotary jet scrubbers and/or multi-jet wand combinations could decrease hot water, water pressure and water flow. Adjustments and/or modifications may be necessary.

Vacuum "Y"

- Heavy-duty PVC construction
- Connects two (2) vacuum hoses to one vacuum hose
- Convenient for connecting combinations of attachments such as Floor Wand with Stair Tool, Upholstery Tool, etc.
- Color light grey

Price: \$75.⁰⁰

NOTE: Not recommended for dual-wand cleaning due to reduction of airflow.

OPTIONAL EQUIPMENT

“Y” Connector

- Heavy-duty PVC construction
- Use with live Vacuum Hose Reel, to bypass reel or for dual wands
- Located at side door with MidMount and SideMount Fresh Water Holding Tanks, or, at rear door with RearMount Tank
- 6' of 2¹/₂" hose with mounting bracket and barbs
- 2" and 2¹/₂" interchangeable hose barbs and rubber caps for choice of hose size
- Color light grey

Price: \$375.⁰⁰

Butler In-Line Filter Recovery System

(Single-Bag and Dual-Bag Systems)

- Stainless steel construction
- Located at rear door opening
- Filters debris before recovered water enters the Recovery Tank
- Non-restrictive air flow design with either Butler Standard Vacuum/Blower System or optional Butler Maximum Vacuum/Blower System
- Easily accessible, eliminates need to remove recovery tank lid to empty and clean filter bag(s)
- May be used with or without live Vacuum Hose Reels
- Removable and reusable nylon filter bag(s)
- Dual-wand fittings included
- Easy-open latch mechanism
- Single-bag system: 10¹/₂"W x 10¹/₂"D x 17"H
- Dual-bag system: 19"W x 12"D x 17"H
- Slide out mounting brackets for ease of periodic cleaning
- Silver texture finish

Price:

\$1,695.⁰⁰ Single-Bag System. Factory installation included.

\$1,895.⁰⁰ Dual-Bag System. Factory installation included.

NOTE: Filter Bag and Adapter Tray are removed from Recovery Tank when In-Line Filter Recovery System is installed.

The shortened width Storage Tray Unit will be required when an In-Line Filter Recovery System is installed in a standard length van.

Filter Basket

- Stainless steel construction
- Filters debris before recovered water enters the Recovery Tank
- Designed for 110, 210-gallon Recovery Tanks and In-Line Filter Recovery System
- Grip handle for easy installation and removal
- Can be used with or without Nylon Filter Bag*
- Non-restrictive air flow
- Size 6¹/₈"D x 13¹/₄"L
- Fits in a 4 or 5 gallon pail for cleaning and disposal of debris

*Nylon Filter Bag included as Standard Equipment with the Butler System.


Price: \$195.⁰⁰

NOTE: For older Butler Systems, the Adapter Tray that secures the Nylon Filter Bag in the Recovery Tank may have to be replaced with a new Off-Set Filter Adapter Tray.

Off-Set Filter Adapter Tray.

Price: \$100.⁰⁰





Second Vacuum/Pressure Hose Reel

Vacuum Hose Reel

- Aluminum construction with Teflon® bushing glides
- Located at side or rear door opening
- Continuously live (remove length of hose required and remainder stays attached on reel)*
- Storage capacity for 200' of vacuum hose (25' of 1½" and 175' of 2")
- Drag brake allows for tension adjustment
- Aluminum 2" hose barb for removal of vacuum hose from reel*
- Designed to utilize minimum amount of floor space
- Silver texture finish

Price: \$1,595.00

Factory installation included.

**2½" hose barb available to accommodate 2½" hose. Live reel feature can be bypassed with optional "Y" Connector.*

Pressure Hose Reel

- Aluminum construction with Teflon® bushing glides
- Located at rear door opening
- Continuously live (remove length of hose required and remainder stays attached on reel)
- Storage capacity for 200' of high-pressure hose
- Drag brake allows for tension adjustment
- Brass quick disconnect for easy removal of pressure hose from reel
- Designed to utilize minimum amount of floor space
- Silver texture finish

Price: \$1,195.00 *

Factory installation, hardware and connection hoses included.

NOTE: Pressure Hose Reel may be mounted to face of Vacuum Hose Reel or the vehicle's floor, depending upon equipment options and the vehicle selected. Required location may limit installation of other Optional Equipment.

**Second set of reels available at individual prices only.*

Electric Pressure Hose Reel

- Aluminum construction with Teflon® bushing glides
- Located at side or rear door opening
- Continuously live (remove length of hose required and remainder stays attached on reel)
- Storage capacity for 200' of high-pressure hose
- Drag brake allows for tension adjustment
- Brass quick disconnect for easy removal of pressure hose from reel
- Designed to utilize minimum amount of floor space
- Direct drive system eliminates belts or chains
- Permanently lubricated gear drive motor
- Silver texture finish

Price:

\$995.00 (when ordered in place of regular Pressure Hose Reel)

Factory installation included.

\$1,795.00 (if purchased individually)

*NOTE: Vehicle may be equipped with two (2) sets of Electric Pressure Hose and Vacuum Hose Reels. *Second set of reels available at individual prices only.*

OPTIONAL EQUIPMENT

Electric Vacuum Hose Reels

- Aluminum construction with Teflon® bushing glides
- Located at side or rear door opening
- Compact, versatile design
- Available in two heights (height determination based on other equipment and options selected)
- Continuously live (remove length of hose required and remainder stays attached on reel)
- Storage capacity for 200' of vacuum hose (25' of 1½" and 175' of 2")
- Aluminum 2" hose barb for removal of vacuum hose from reel*
- Designed to utilize same floor space as regular reel
- Direct drive system eliminates belts or chains
- Permanently lubricated gear drive motor
- Flexible remote activating switch
- Silver texture finish

Price:

\$1,595.00 (when ordered in place of regular Vacuum Hose Reel)

Factory installation included.

\$2,895.00 (if purchased individually)

*2½" hose barb available to accommodate 2½" hose.

NOTE: Vehicle may be equipped with two (2) sets of Electric Vacuum Hose Reels.
Required location may limit installation of other Optional Equipment.

2nd Floor



Optional with MidMount Floor Plan Only



- Aluminum and stainless steel construction
- Located at rear door opening
- 5"D (closed), 21"L (half open), 41"L (fully open) x 35"W
- Nearly doubles the rear floor space in a regular length van
- Fits regular and extended length vans
- Permanently mounts to Fresh Water Holding Tank with two (2) carriage bolts (supplied)
- No tools required to change from folded to half open or fully open
- Locks into place with spring loaded locking pins
- Accommodates two (2) air movers (half open) four (4) air movers (fully opened) and four (4) air movers below
- Slotted holes through surrounding perimeter to accommodate use of tie-downs
- Two (2) tie-downs included (not shown)
- Silver textured finish

Price: \$895.00

Factory installation included.

NOTE: Not available with SideMount or RearMount Floor Plans.





Second Hose Guide and Security Door

One (1) Hose Guide and Security Door standard with the Butler System

- Stainless steel door and surrounding
- 3¹/₂" diameter aluminum sleeve with smooth bore will allow hoses to glide easily through opening
- Located at side or rear door of vehicle
- Close and lock vehicle while machine is in operation
- Secure valuables in vehicle
- Protect machine and vehicle from inclement weather
- Operate in extreme heat or sub-zero temperatures
- Reduce noise levels in residential areas and/or during night time hours
- Reduce liability by preventing unauthorized personnel, children or pets from entering vehicle or accessing machine
- Align hose for ease of removal and rewinding on both Vacuum and Pressure Hose Reels
- Satin black finish

Price: \$190.⁰⁰

Factory installation included.

NOTE: *Installation of Second Hose Guide and Security Door may require relocating, eliminating or restricting item(s) attached to rear doors.*

Supply (Garden) Hose Reel

- Aluminum construction with Teflon® bushing glides
- Located at side door opening and mounted to roof of vehicle when equipped with SideMount Fresh Water Holding Tank or to floor of vehicle when equipped with MidMount/RearMount Fresh Water Holding Tank*
- Continuously live (remove length of hose required and remainder stays attached on reel)
- Connects to Automatic Water Fill/Shut-Off with Teflon® lined braided stainless steel hose
- Storage capacity for 100' of Supply Hose (hose not included)
- Drag brake allows for tension adjustment
- Hose end holder secures hose end and helps prevent any remaining water in hose from dripping onto carpeted cargo area
- Silver texture finish

**Supply (Garden) Hose Reel will be combined (stacked) with Pressure Hose Reel and mounted on floor of vehicle when MidMount or RearMount Floor Plan is selected.*

Price:

\$1,395.⁰⁰ when roof mounted

\$1,395.⁰⁰ when floor mounted

Factory installation, mounting plate, hardware and connecting hoses included.

NOTE: *50' of Supply Hose is included as Standard Equipment with the Butler System.*

OPTIONAL EQUIPMENT

Side Door Storage Tray Unit

Optional with RearMount Floor Plan Only

- Aluminum construction
- Located at side door opening for storage of 4 air movers or other large items
- Two-tier unit
- Overall height 42"
- Each shelf 36"W x 20"D with 2" and 4" sides
- Slotted holes through surrounding perimeter to accommodate use with bungee cords
- Two (2) bungee cords (not shown)
- Padding on each tray to help protect finish
- Silver texture finish

Price: \$595.⁰⁰

Factory installation included.

NOTE: Not available with MidMount or SideMount Floor Plan.

Automatic Pump-Out System

- Aluminum construction
- Located at rear door opening
- Adaptable to either the 110 or 210-gallon Recovery Tank
- Pumps automatically as recovered water is being vacuumed into Recovery Tank
- Flow rate of approximately 4 gallons per minute (GPM)
- Ideal for use in residential and commercial cleaning
- Can pump to a receptacle using standard garden type hose (hose not included)
- 3-position LED Illuminated Switch (Automatic, Off and Manual)
- Discontinue use of Automatic Pump-Out System and utilize only the Recovery Tank by simply moving Pump Switch from "Automatic" to "Off" position
- Dual-wand capability
- Slide out mounting brackets for easy removal
- Silver texture finish

Price: \$1,395.⁰⁰


Factory installation, hardware and connecting hoses included.

Recovery Tank Rinse System

- Stainless steel construction
- Rotating head dispenses water from a supply hose (garden hose) in a whirling motion
- Flushes debris and sludge from the interior of the Butler System's 110 and 210-Gallon Recovery Tanks
- Reduces buildup and eliminates odor
- No maintenance is required

Price: \$395.⁰⁰

Factory installation included.





Vacuum Hose

150' of Vacuum Hose included as Standard Equipment with the Butler System

- Heavy-duty co-extrusion for durability and flexibility
- Designed for extreme hot and cold climates
- Smooth inside bore
- Color light gray standard (orange available)

Price:

\$62.⁰⁰ for a 25' length of 1½" with end cuff

\$68.⁵⁰ for a 25' length of 2" with barb connector

\$135.⁰⁰ for a 50' length of 2" with barb connector



High-Pressure Hose

150' of High-Pressure hose included as Standard Equipment with the Butler System

- Heavy-duty ¼" High-Pressure Hose (choice of 50', 100', 150' or 200' lengths)
- Insulated for extreme hot and cold climates
- Flexible, durable, synthetic compound
- Braided steel wire reinforced
- Non-scuff, non-marring
- Abrasion and detergent resistant
- Brass quick disconnects
- Chrome plated brass shut-off valve allows cleaning tools to be interchanged quickly and easily (not shown)
- Working pressure rating of 3,000 PSI
- Burst pressure rating of 12,000 PSI
- Operating temperature rating 300°F continuous
- Heat sleeve for more comfortable handling
- Color light gray standard (yellow available)*

Price:

\$239.⁰⁰ for a 50' length with ¼" quick disconnects and shut-off

\$340.⁰⁰ for a 100' length with ¼" quick disconnects and shut-off

\$435.⁰⁰ for a 150' length with ¼" quick disconnects and shut-off

\$525.⁰⁰ for a 200' length with ¼" quick disconnects and shut-off

**Yellow High-Pressure Hose has an operating temperature rating of 250°F.*



Supply (Garden) Hose with Shut-off Valve

50' standard with the Butler System

- Heavy-duty commercial rubber hose
- ⅝" diameter
- Heavy-duty brass fittings
- Heavy-duty brass shut-off valve
- Color light gray

Price:

\$75.⁰⁰ for 25'

\$145.⁰⁰ for 50'

\$195.⁰⁰ for 100'

NOTE: 100' of Supply Hose may be substituted for the 50' included as Standard Equipment at an additional charge of \$50.00.

OPTIONAL EQUIPMENT

Hose Storage Brackets

Two (2) Hose Storage Brackets are standard with Butler System

- Steel construction
- Located on side wall(s) of vehicle or attached to Optional Equipment
- Accommodates storage of vacuum, pressure and supply hoses
- Available in several styles and lengths to accommodate mounting location(s)
- Rubber end bumpers
- Silver texture finish

Price: \$72.⁰⁰ each

Factory installation included.

Upholstery Tool

- Stainless steel and aluminum construction
- Designed to clean fabrics ranging from delicate to commercial grade
- Instant “on demand” hot water
- Long handle, lightweight, low profile swivel design
- “Soft-padded” cuff for sure and comfortable grip
- 3½" wide stainless steel angled head
- Single stainless steel jet
- Adjustable water volume control valve
- Adjustable vacuum reduction valve
- Vinyl coated “light-touch” on/off trigger
- 10' of flexible 1¼" vacuum hose with swivel cuff
- 10' of ¼" coated braided stainless steel pressure hose routed inside vacuum hose
- 1½" vacuum hose and ¼" pressure hose coupler conveniently located 11' away from head to avoid contact with items being cleaned
- Female brass quick disconnect with “heat-protective” sleeve
- Remote water filter located at coupler for ease of periodic cleaning
- No adjustments required to the Butler System

Price: \$975.⁰⁰



Factory installation included.


Portable Machine Rack

- Aluminum construction
- Mounts in vehicle's cargo area for convenient access
- Designed to accommodate most portable carpet and upholstery cleaning machines
- Transports machine neatly and securely
- Slotted holes through surrounding perimeter to accommodate use with tie-down straps
- Two (2) tie-down straps provided (not shown)
- 19"W x 23"L x 4"H
- Silver texture finish

Price: \$195.⁰⁰

Factory installation included.





Pressure Spray Tank Racks

Two (2) Pressure Spray Tank Storage Containers (of a different design) are included with Preferred Equipment Package #1

- Aluminum construction
- Single, dual or triple opening Pressure Spray Racks
- Holds a 1, 2 or 3-gallon pressure spray tank
- 10"L x 9½"W x 8"H/single opening
- 19"L x 9½"W x 8"H/dual opening
- 27½"L x 9½"W x 8"H/triple opening
- Silver texture finish

Price:

\$95.00 for single opening

\$100.00 for dual opening

\$110.00 for triple opening

Factory installation included.

NOTE: Pressure Spray Tank Rack(s) location will vary depending upon equipment, options and vehicle selected.

Furniture Tab Storage Container (4" x 4")

One (1) Furniture Tab Storage Container (3" x 3") included in Preferred Equipment Package #1

- Aluminum construction
- Holds approximately 3,500 (4" x 4") tabs
- Location will vary with other options and vehicle selected
- Silver texture finish

Price: \$80.00

NOTE: 3" x 3" Furniture Tab Storage Container is considered standard size. See Preferred Equipment Package #1 for details.

Recommended Supply Kit

- Wand Valve Seal Kit
- 2" Vacuum Hose Connector
- Set (2) belts (front end)
- Set (2) belts (Vacuum/Blower)
- Belt (1) (High-Pressure Pump)
- Wand Clean Out Plugs (3)
- One (1) 21 oz. bottle of Cat Pumps High-Pressure Pump Oil
- One (1) quart of Gardner Denver AEON PD-XD Extreme Duty Synthetic Lubricant for Gardner Denver Vacuum/Blower
- Two (2) 3' lengths of clear tubing for ease of draining oil from Vacuum/Blower and High-Pressure Pump at side door of vehicle

Price: \$195.00

OPTIONAL EQUIPMENT

Machine Winterizing Kit

- 3' High-Pressure Hose with female quick connect
- 3½' garden-type hose with heavy-duty male garden hose fitting
- Female-to-female adapter with washers
- Supply hose adapter
- 2½-gallon antifreeze container with cap
- 4-gallon discharge container and lid
- Cap to seal 2½-gallon container when removing to store
- Two (2) gallons of -20°F windshield washer anti-freeze fluid when kit purchased at factory

Price: \$98.⁰⁰

NOTE: Windshield washer antifreeze fluid cannot be shipped.

Fresh Water Tank Quick Drain Valve

Optional with SideMount or RearMount Floor Plans Only

- Convenient for emptying Fresh Water Tank more rapidly
- 1" heavy-duty Drain Valve Assembly
- Cam-lock connector on each end of hose
- 6' of drain hose*
- Cam-lock end cap on valve to prevent accidental discharge

Price: \$195.⁰⁰

**Hose can be provided in longer lengths or additional sections can be added.*



NOTE: Not adaptable with MidMount Fresh Water Holding Tank.

Recovery Tank Drain Extension Hose

- Convenient for emptying recovered water into a remote receptacle
- Female camlock fitting, securely attaches to male camlock fitting on end of drain pipe assembly, located under side door of vehicle
- Attaches to both the 110-Gallon and 210-Gallon Recovery Tank drains
- Male camlock provided on end of hose to attach hose to a remote receptacle for direct hook-up between Recovery Tank and receptacle (female camlock would be required at receptacle)
- 6' length of 2" flexible hose*

Price: \$68.⁰⁰

**Hose can be provided in longer lengths or additional sections can be added.*





Halogen Spotlight

- High quality handheld quartz halogen spotlight
- 12-volt plug for use with Auxiliary DC Outlet on front panel of the Butler System
- Provides 55-watts of power
- Power cord extends length of vehicle
- Use for lighting interior of vehicle or for spot lighting
- Complete with carrying handle and lens cover

Price: \$30.⁰⁰



Interior LED Lighting/Cargo Area

- Mounted over rear and/or side doors for convenient access
- High-intensity light brightly illuminates cargo area
- Secured with custom angled bracket for maximum illumination
- Center located ON/OFF switch for convenience

Price: \$120.⁰⁰ each

Factory installation, wiring and hardware included.

NOTE: This item is designed for vans only.



Back Up Alarm

- Sounds attention-getting audible signal whenever vehicle's reverse lamps are activated

Price: \$125.⁰⁰

Factory installation and hardware included.

Floating Water Extraction Tool

- Aluminum construction
- Ideal for small to large flooded areas
- Designed for extracting water of any depth
- Floats on surface
- Water can be extracted continuously
- Extracts down to 1/4" from surface
- No adjustment required to Butler System
- Filters debris before recovered water enters system
- Use with or without Automatic Pump-Out System
- 26"L x 10"W x 7"H
- Silver textured finish

Price: \$775.⁰⁰



OPTIONAL EQUIPMENT

Upholstered Interior Panels

- Fitted between ribs on walls and roof of van (factory panels normally supplied on doors)
- 1/2" neoprene backing
- Durable, washable, nylon fabric
- Reduces interior heat loss in winter, maximizes air-conditioning comfort in summer
- Protects walls from scratches and dents
- Provides for quieter interior
- Reduces machine noise
- Applied with 3M™ adhesive
- Formed aluminum covers attach over existing ribs to enhance factory appearance (available in white only)
- Provided with or without foil-backed, air-bubble padding under floor covering in cargo area (floor covering standard with the Butler System)
- Fabric and backing color black

Price:

\$1,595.00 standard length van

\$1,695.00 extended length van

Factory installation included.

UltraQuiet Noise Reduction System

- Featuring Dynamat products, the automotive sound and vibration elimination specialists
- Dynamat Extreme and DynaCore two (2) layer system reduces sound and vibration levels by as much as 50% or more
- Complies with all known state and local noise ordinances for both day and night commercial and industrial operation, as well as, most state and local sound level limits for residential neighborhoods
- Fitted to walls, roof and floor surfaces (factory panels normally supplied on doors)
- DynaDeck ultra-durable, textured, waterproof floor covering
- Washable wall and roof fabric protects walls from scratches and dents
- Reduces interior heat loss in winter, maximizes air-conditioning comfort in summer
- Formed aluminum covers attach over existing ribs to enhance factory appearance (available in white only)
- Fabric and floor color black

Price:

\$2,295.00 standard length van

\$2,495.00 extended length van


Factory installation included.

Spray-On Cargo Liner

- Provided by an independent outside contractor
- Drop-off and pick-up provided as a courtesy service for customers who purchase a van from our inventory or supply their own van
- Trim panels are removed and the floor is pre-drilled for Butler System installation prior to coating
- Standard application is the complete floor including; the side door step and approximately 2" up on the interior side walls (custom applications available)
- Butler System can be installed with or without carpeting
- Customer can communicate directly with the contractor for information, specific requests, pricing and payment
- Coating color black

NOTE: Customer is responsible for direct payment to contractor. Please call a Butler Sales Representative for further assistance.





Auxiliary 90-Gallon Fresh Water Holding Tank

- Stainless steel construction, stainless steel frame and bracing
- Mounted in cargo area
- Accommodates storage of 90 gallons of fresh water
- Plumbed together with optional Fresh Water Holding Tank to:
 - Provide a water holding capacity of 200 gallons*
 - Utilize the Automatic Water Fill/Shut-Off feature
 - Utilize the Sight Indicator and Float to easily view water level in both tanks simultaneously
- Storage tray incorporated to accommodate miscellaneous cleaning supplies
- Slotted holes surrounding perimeter to accommodate use with bungee cords
- One (1) steel fold-away Hose Storage Bracket
- $\frac{5}{8}$ " heavy-duty brass drain valve with cap
- 27"W x 27"D x 28"H
- Silver texture finish

Price: \$2,595.00

Factory installation, hardware and connecting hoses included.

**Holding Capacity may be reduced slightly due to Automatic Shut-Off feature and parking angle.*

NOTE: Required location may limit installation of other Optional Equipment. The installation of the 90-gallon Fresh Water Holding Tank is limited to vehicle selection.

Installation of Optional Equipment

Optional Equipment includes factory installation when ordered and installed with the Butler System.

The installation of some Optional Equipment and Preferred Equipment Package items require that they be integrated with the Butler System Standard Features during production. Many of these items must be installed prior to others and requests for additions, deletions or replacements once the machine enters production may result in additional charges.

IT'S OUR RESPONSIBILITY
TO PROVIDE THE
INFORMATION FOR YOU
TO MAKE AN INFORMED
DECISION.



**SAFETY
DATA SHEETS**

**OWNER'S
MANUAL**

CHECK		MAINTAIN		SERVICE	TEST
CHECK AND MAINTAIN DAILY		CHECK AND MAINTAIN WEEKLY		SERVICE AND TEST MONTHLY	
PREPRESSURE PUMP Check that all hoses are in good condition. DO NOT use hoses that are damaged or worn. DO NOT use hoses that are not rated for the pressure of the pump.		WATER Check water level in the tank. DO NOT use water that is not clean or contains debris. DO NOT use water that is not at the correct temperature.		VACUUM PUMP Check vacuum level in the tank. DO NOT use vacuum that is not clean or contains debris. DO NOT use vacuum that is not at the correct temperature.	
WATER Check water level in the tank. DO NOT use water that is not clean or contains debris. DO NOT use water that is not at the correct temperature.		WATER Check water level in the tank. DO NOT use water that is not clean or contains debris. DO NOT use water that is not at the correct temperature.		VACUUM PUMP Check vacuum level in the tank. DO NOT use vacuum that is not clean or contains debris. DO NOT use vacuum that is not at the correct temperature.	
WATER Check water level in the tank. DO NOT use water that is not clean or contains debris. DO NOT use water that is not at the correct temperature.		WATER Check water level in the tank. DO NOT use water that is not clean or contains debris. DO NOT use water that is not at the correct temperature.		VACUUM PUMP Check vacuum level in the tank. DO NOT use vacuum that is not clean or contains debris. DO NOT use vacuum that is not at the correct temperature.	



FLOW
METER



WATER
TEMPERATURE



MACHINE
HOURS



VACUUM
INDICATOR



ENGINE
TACHOMETER



FLOW
CONTROL



ENGAGE
SYSTEM



ENGAGE
PUMP



SPEED
CONTROL



OIL LEVEL
INDICATOR



12 VOLT
ELECTRICAL
OUTLETS



VACUUM/BLOWER
SERVICE PORT



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



HIGH PRESSURE
CONNECTOR



PUMP OIL
DRAIN



PUMP OIL
DRAIN



PUMP OIL
DRAIN



PUMP OIL
DRAIN



PUMP OIL
DRAIN



PUMP OIL
DRAIN



PUMP OIL
DRAIN



PUMP OIL
DRAIN



PUMP OIL
DRAIN

FRIENDLY, CONVENIENT AND COURTEOUS SERVICE.



OUR EXTENSIVE INVENTORY OF VANS, CUBE VANS AND TRUCKS PROVIDES OUR CUSTOMERS A WIDE SELECTION OF VEHICLES WITH VARIOUS OPTIONAL EQUIPMENT.





CHEVROLET/GMC STANDARD LENGTH VAN



CHEVROLET/GMC EXTENDED LENGTH VAN

TURN-KEY PACKAGES
OFFER SELECTION,
CONVENIENCE,
AVAILABILITY AND
COMPETITIVE PRICING.

THE BUTLER CORPORATION IS RECOGNIZED BY GENERAL MOTORS AS A SPECIALTY VEHICLE UPFITTER.

The Commonwealth of Massachusetts granted to The Butler Corporation a Class 1 "Agent's or Seller's License" (Dealers License) that permits us to purchase and sell new and second-hand motor vehicles nationwide. The Butler Corporation is recognized by the vehicle manufacturers as an "upfitter" (a company that makes extensive alterations or upfits to a vehicle for a specific purpose prior to being placed into service). The Butler Corporation is not a "franchised dealership." Therefore, the vehicle warranty fulfillment is the sole responsibility of the vehicle manufacturer and the vehicle manufacturer's "franchised dealerships," whether you purchase a new vehicle through The Butler Corporation or supply your own vehicle. The Butler Corporation's warranty is not extended or intended for use on any part and/or labor cost related to the vehicle. The Butler Corporation provides a limited vehicle warranty when the vehicle manufacturer's warranty has expired and the vehicle was purchased from The Butler Corporation as "pre-owned" and NOT "as-is." Complete warranty information in effect at the time of sale for "Butler pre-owned vehicles" are available upon request and any time online at butlersystem.com.

Turn-Key Package

Van selection, vehicle options, convenience, availability, competitive pricing and ease of financing are why most customers choose from our extensive inventory of new and pre-owned vans.

Individual owner preferences can usually be satisfied by: selecting from our inventory, having us locate a van through our associated dealer network, or, we can “special order” one on your behalf. You may also elect to: supply an existing van, purchase from *your own dealer*, or, have *your dealer* “special order” a van and have it “drop-shipped” from the manufacturer to one of *our local dealers*.

We also install the Butler System into cube vans and trucks with various wheelbases, payload capacities, GVWRs (Gross Vehicle Weight Ratings), cargo body lengths and heights, etc. The Butler System layout, certain Standard Features and some Optional Equipment are specific to cube vans, trucks and/or cargo body sizes. Therefore, cube vans, trucks and bodies are ordered with particular requirements and must be purchased through The Butler Corporation.

Please call a Butler Sales Representative for the latest information regarding vehicle selection, vehicle options, pricing and current purchasing incentives.

Van Supplied by Customer

Prior to supplying an existing van it is important that you provide us with: the vehicle’s identification number (VIN), mileage, condition and any additions or modifications to ensure that the Butler System and all Optional Equipment you may be considering is adaptable.


It is also important, if you are buying a new van, that you contact us for specific suggestions and requirements prior to placing your order. We will be pleased to provide you, or your dealer, with the information needed to ensure that the van you are purchasing is suitable to accommodate the Butler System and all the Optional Equipment you may be considering.

Gross Vehicle Weight Rating (GVWR)

The Butler Corporation manufactures specific Butler System components to be in compliance with the vehicle manufacturer’s Gross Vehicle Weight Rating* (GVWR). It is important to consider the total of all intended weight to be carried when purchasing or supplying a vehicle for the installation of a new or pre-owned Butler System. Weights to consider would include the weight of the vehicle, vehicle options, occupants, the Butler System and options, a full tank of fuel, the amount of water being transported and an additional allocation for other equipment, cleaning products, supplies and tools, etc.

**GVWR is the maximum amount of weight allowable as established by the vehicle manufacturer for the vehicle, equipment, payload, fuel and occupants.*

NOTE: The Butler Corporation reserves the right to examine any van supplied for installation of the Butler System. We reserve the right to decline installation and be under no obligation to reimburse for any expenses or inconvenience incurred, should we determine that the Butler equipment selected would exceed the Gross Vehicle Weight Rating and/or the Butler System is not adaptable to the van, the van is not suitable for our installation, the van is equipped with items that would prohibit our installation or that it would be unsafe to install our system.



WE PROVIDE A CHOICE
OF VEHICLE OPTIONS
TO SATISFY INDIVIDUAL
PREFERENCES.

VEHICLE CAN BE CLOSED
AND LOCKED WHEN
OPERATING.



TRUCKS AND CUBE VANS ARE THE PREFERRED CHOICE OF MANY CARPET CLEANING COMPANIES AND RESTORATION CONTRACTORS WHO REQUIRE A "WAREHOUSE ON WHEELS."



LITTLEBIG TRUCK SHOWN

Shown in Big Truck with 15' body.

TRUCKS AND CUBE VANS




**ISUZU N-SERIES TRUCK WITH 12 TO 20'
CARGO BODIES AVAILABLE**

**CHEVROLET/GMC CUBE
VAN WITH 15' BODY**



Shown in Cube Van



Shown in LittleBig Truck

**CARGO BODIES ARE
MANUFACTURED
TO BUTLER
SPECIFICATIONS.**



LittleBig Truck

Cube Van

Big Truck

Maximum Volume and Versatility

LittleBig Trucks, Cube Vans and Big Trucks are the preferred choice of many carpet cleaning and restoration professionals who require a "Warehouse on Wheels." The design and layout of the Butler System, including the Fresh Water Holding Tank and the Recovery Tank, utilizes only the first 7' of floor space. The entire surrounding wall space can be equipped with our Modular Adjustable Storage Shelving.*

- Aluminum and steel construction
- 9' of shelving supplied as Standard Equipment
- Available in 3', 4', 5', 6' and 7' lengths, 16" and 22" deep with 2" and 4" sides
- Adjustable and removable
- Shelves can be factory installed or added at any time
- Can be used to carry loose rugs, carpet, carpet pad, air movers, etc.
- Slotted holes through surrounding perimeter to accommodate use with tie-down straps
- One (1) tie-down strap supplied for each section (not shown)
- Removable end plates to accommodate lengthy items
- Adjustable heavy duty eye hooks to secure heavy items when shelves are not installed on uprights (not shown)
- Silver texture finish

Price: \$175.⁰⁰ per linear ft.

Factory installation included.

**NOTE: Rear shelves can be ordered as SlideOuts, to accommodate additional storage by nearly doubling the floor space. (Add \$50.⁰⁰ per linear ft.)*

Specifications and Descriptions

The LittleBig Truck is equipped with a 12' long cargo body and the Cube Van a 15' long cargo body, both with fixed heights and widths. Big Trucks are offered in cargo body lengths of 12', 15', 16', 18' or 20' with optional heights and widths. Standard Equipment, Preferred Equipment Packages and Optional Equipment may vary, be reconfigured and priced accordingly when installed into Trucks and Cube Vans. A photo and video gallery of several vehicles which display the Butler System with various Standard and Optional Equipment installed is available on our website butlersystem.com.

The information contained in this brochure or on our website referencing vans, may or may not pertain to Trucks and Cube Vans. Trucks and Cube Van cargo bodies are manufactured with specific requirements and must be purchased through The Butler Corporation. Please call a Butler Sales Representative for more detailed information.

TRUCKS AND CUBE VANS OPTIONAL EQUIPMENT



The LittleBig Truck

“Warehouse on Wheels”

These popular compact trucks have seating for three (3) technicians, a vast amount of storage and are exceptionally maneuverable. These trucks are ideal for carpet cleaning and as a first-response vehicle. They are only one (1) foot longer than a regular length van, have a 12' aluminum box, and a payload capacity of 3,800 lbs.

Optional Equipment

Dual Hose Storage Brackets and Tie Down System for Trucks and Cube Vans

Multi-Position Dual Hose Storage Brackets and Tie Downs

- Steel construction
- Two (2) Dual Brackets accommodate storage of vacuum, pressure and supply hoses
- Two (2) Tie Downs (eye hooks) for securing heavy items
- Located on left or right side of vehicle
- Easily accessible from rear door opening
- Brackets and Tie Downs attach to heavy-duty horizontal cross rails
- Cross rails can be raised or lowered on heavy-duty vertical up-rights which are permanently mounted to cargo box
- Brackets and Tie Downs can be multi-positioned along the cross rails
- Rubber end bumpers
- Silver texture finish

Price: \$290.⁰⁰

Factory installation included.

NOTE: Two (2) Hose Storage Brackets and two (2) Tie Downs are provided as standard equipment. Extra Brackets and Tie-Downs may be added. When optional shelving is added, multi-position brackets are attached to the shelving and Tie-Downs positioned where convenient.






Exterior Scene Lighting for Trucks and Cube Vans

- 1100 lumens high-intensity LED lights
- Brightly illuminates surrounding areas
- 65 degree horizontal and vertical spread
- Mounted overhead on sides and/or rear of vehicle
- On/Off switches located inside side and rear openings
- Cast aluminum construction
- Size 4.6" W x 2.3" H x 1.5" D
- Color white

Price: \$225.⁰⁰

Factory installation included.

NOTE: *This item is designed for Trucks and Cube Vans only.*



Truck and Cube Van Rear Cargo Heater

- Aluminum construction
- Mounted adjacent to Heat Exchange System
- Helps to protect items in cargo area from freezing
- Uses vehicle's coolant system
- Turns on/off automatically or manually
- Silver textured finish
- Compact design
- 5 1/2" L x 11" W x 10" H

Price: \$995.⁰⁰

Factory installation, hardware and connecting hoses included, when ordered and installed with the purchase of a new Butler System.

TRUCKS AND CUBE VANS OPTIONAL EQUIPMENT


High Volume Automatic Pump-Out System

- Bronze and stainless steel construction
- Pump located inside Equipment Shroud
- Belt driven, electric clutch activated
- Adaptable to either the 110 or 210-gallon Recovery Tank
- Pumps automatically as recovered water is being vacuumed into Recovery Tank
- Flow rate of approximately 15 gallons per minute (GPM)
- For use in residential, commercial and restoration cleaning
- 25' of 1 $\frac{1}{4}$ " Discharge Hose with cam-lock fittings (supplied – not shown)*
- 3-position LED Illuminated Switch (Automatic, Off and Manual)
- Discontinue use of Automatic Pump-Out System and utilize only the Recovery Tank by simply moving Pump Switch from "Automatic" to "Off" position

Price: \$2,195.⁰⁰

Factory installation, hardware and connecting hoses included.

**Additional 50' lengths available.*



Floating Water Extraction Tool

- Aluminum construction
- Ideal for small to large flooded areas
- Designed for extracting water of any depth
- Floats on surface
- Water can be extracted continuously
- Extracts down to $\frac{1}{4}$ " from surface
- No adjustment required to Butler System
- Filters debris before recovered water enters system
- Use with or without Automatic Pump-Out System
- 26"L x 10"W x 7"H
- Silver textured finish

Price: \$775.⁰⁰



Ramps

- Aluminum construction
- Compact 3-fold design
- Lightweight and portable
- Easy setup
- 800-pound weight capacity
- Extends to 10'
- Folds to 5'
- 14" wide when folded, 29 $\frac{1}{2}$ " wide when unfolded
- Self-adjusting transition plate from ramp to ground
- Easily attaches to floor of vehicle when in use
- Slip-resistant tread
- Folds and stores upright in vehicle to maximize floor space

Price: \$995.⁰⁰





PRE-OWNED VANS ARE
SOLD WITH NEW AND
PRE-OWNED BUTLER
SYSTEMS INSTALLED.

PRE-OWNED “RECONDITIONED” BUTLER SYSTEMS AND VANS

Pre-owned “Reconditioned” Butler Systems and Vans

Pre-owned “reconditioned” vans are sold with new or pre-owned “reconditioned” Butler Systems installed. The prices for a “reconditioned” Butler System and van will vary depending on the age of the van, the Butler System and Optional Equipment chosen.

“Reconditioned” Butler System

A “reconditioned” pre-owned Butler System is a machine that may have required repairs, parts, upgrades and/or cosmetic enhancements. A pre-owned Butler System is restored in performance, appearance and equipped with Standard Features, which are comparable to a new Butler System. The warranty for a “reconditioned” Butler System covers specific parts and components to be free from defects in material and/or workmanship for warranty coverage intervals of 30-days, 90-days and 12 months.


“Reconditioned” Vans

A pre-owned “reconditioned” van sold by The Butler Corporation is sent to a vehicle manufacturer’s “franchised dealership” for a multi-point inspection and is serviced, according to the vehicle manufacturer’s recommendations for condition and mileage. Bumpers, glass and all cosmetic trim are repaired or replaced as needed. Tires that are worn “beyond reasonable” are replaced. Previous signage is removed and the van’s body, when needed, is repaired and/or painted prior to final detailing.

Customers may be entitled to receive any remaining portion of the warranty coverage initially provided by the vehicle manufacturer. The Butler Corporation provides a 90-day/3,000 mile, whichever occurs first, 50/50 Powertrain Warranty, when the vehicle manufacturer’s warranty expired prior to the time of sale or lease. This warranty is provided regardless of whether the Butler System is new or pre-owned. Please refer to “‘Reconditioned’ Pre-owned Vehicle 50/50 Powertrain Warranty” for further information.

NOTE: See the Butler System Warranty Booklet for complete coverage details and limitations, which is available upon request or at any time online at butlersystem.com.

The Butler Corporation will be pleased to furnish pictures or a video of the van that you may be interested in purchasing or leasing.



PRE-OWNED “RECONDITIONED”
BUTLER SYSTEMS AND VANS

A PRE-OWNED BUTLER SYSTEM IS RESTORED IN PERFORMANCE AND APPEARANCE, AND IS EQUIPPED WITH STANDARD FEATURES COMPARABLE TO A NEW BUTLER SYSTEM.



BUTLER MAXIMUM PRODUCTS
ARE FORMULATED TO BE THE
FINEST AVAILABLE.

Supply Division

Our Supply Division is devoted to providing a complete line of cleaning products, accessories, carpet, fabric, fire and water restoration equipment.

Considerate, knowledgeable service representatives have added value to our quality products by staying on top of current market trends and new product developments. Our service department can promptly respond to customer inquiries and provide meaningful instruction and technical support.

We also offer a free 800 Nationwide Telephone Service, free technical service information, an expansive warehouse with over two million items available for immediate shipment. Orders received by 2:00 p.m. (EST) for UPS delivery will be shipped the same day.

Butler Maximum Cleaning Products

The Butler Maximum Cleaning Products are formulated to be the finest cleaning and restoration products available. Each concentrated formula is unsurpassed for performance and ease of use and is developed by combining only the highest quality ingredients that include anti-corrosive inhibitors to help protect your equipment.

The Butler Maximum formulas offer professionals 28 different choices, ranging from carpet and fabric cleaning products to specialty products for deodorization, etc. These products are packaged in tamper-resistant, safety-sealed containers. Each product is color-coded for ease of identification with a matching color-coded, easy to read and understand labeling design. The larger volume products are packaged in convenient to store, disposable 2¹/₂ gallon containers.

The entire Supply Division can be found online at butlersystem.com. There are no distributors and no middleman costs. We have toll free order lines, same day shipping and no minimum order quantity. The Butler Corporation's Volume and Shipping Rate Savings Program offers customers the opportunity to purchase cleaning products, equipment and accessories at volume rate savings and have them shipped at a reduced rate anywhere in the continental United States.

Purchase Online at butlersystem.com

Purchasing is easy using our website butlersystem.com. Products from our Supply Division are available online 24 hours a day for your convenience. Customers have the option to browse all our products by category or use the comprehensive search engine by typing the name of the product to immediately display the item requested.

Satisfaction is guaranteed on all Butler Maximum cleaning products or double your money back.



**DOUBLE YOUR MONEY
BACK GUARANTEE
ON BUTLER MAXIMUM
CLEANING PRODUCTS.**

BUTLERSYSTEM.COM

Visit our website to view the Butler System, supplies and documents online



Customer Satisfaction

We take pride in our reputation for unprecedented quality and customer satisfaction.

The importance of a dependable relationship with your equipment supplier cannot be understated when your income is derived and dependent upon the equipment you purchase.

The Butler System is backed by the most comprehensive commitment to owner satisfaction in the industry.

This commitment includes:

- Same American ownership since 1980
- Factory direct sales, service and support
- Individually built to customers' selections at our factory
- More Standard Features and Optional Equipment selections
- Vehicle selections
- General Motors upfitter recognition
- Personalized factory delivery
- Travel or transport allowance (when applicable)
- Exclusive finance, lease and lease-to-own programs
- The "Butler System 10-Year Warranty"*
- The "Pre-owned Butler System 1-Year Warranty"*
- The "Guarantee Buy-Back Program"
- The "Parts Exchange Program"
- Over two million items in inventory
- Replacement parts for every Butler System sold in the past 20 years
- Online ordering
- Same day shipping
- Comprehensive Owner's Manual
- Maintenance Records Booklets
- Color-Coded Schematic
- Toll free telephone service
- After hours message service
- Facebook page and owners groups
- Butler website online blog
- Customers can advertise their used truckmounts for sale on our active website
- Highest resale value

We believe that you should receive the support you deserve and have the utmost confidence in the company that you purchase from and the equipment you purchase.

**NOTE: Your Butler System is provided with varying warranties as listed in a comprehensive Warranty Booklet to protect your investment should a warranty part or component need repair or replacement, due to a defect in material and/or workmanship. This Butler System Warranty Booklet explains the various warranty coverage intervals for each warranted part and component. It also contains the 50/50 Powertrain Warranty for specific pre-owned vehicles.*



FRIENDLY, COURTEOUS
CUSTOMER SERVICE.



**FACTORY DIRECT
SALES, SERVICE AND
SUPPORT SINCE 1980
HAS PROVEN TO BE
VERY SUCCESSFUL.**

Factory Direct Sales, Service and Support

Factory direct communication with our customers is first and foremost. We fully understand we must provide something extra and be competitively priced for customers to purchase and receive service from a company perhaps thousands of miles away. It is apparent from the hundreds of customers who purchase every year and the thousands of satisfied customers we service in all fifty United States, Canada, Bermuda, Cayman Islands, Puerto Rico, St. Maarten, and various U.S. government locations around the world, that this way of doing business since 1980 has proven to be very successful.

Historically, our customers remain very loyal Butler System owners. Each year, over 80% of our sales are derived from existing customers and referrals. Additionally, nearly 60% of all new and pre-owned Butler Systems sold are purchased sight unseen and transported by car carrier or cargo ship to the owner's destination.

The Butler System is especially appreciated by customers who work in extreme conditions, operate their business in remote locations or where dependable local service is not available. There will be occasions when a situation requires immediate attention. Our customer service representatives can help diagnose a situation and process a part order (if necessary) from an inventory of over two million items, for next day delivery anywhere in the continental United States.

When you invest in the Butler System you do so knowing with confidence that you will always receive factory direct service and support.

Who are Butler Customers?

- Air Duct Cleaning Companies
- Apartment Complexes
- Auto Detailing Companies
- Carpet and Rug Cleaning Plants
- Carpet and Upholstery Cleaning Companies
- Carpet Installers
- Carpet Retailers
- Chimney Sweep Companies
- Colleges
- Construction Companies
- Dry Cleaning Companies
- Event Planning Companies
- Firefighters
- Franchisees
- Franchises
- Government Agencies
- Hotels
- House Keeping/Maid Services
- Janitorial Companies
- Kitchen Hood Cleaning Companies
- Major Corporations
- Motels
- Multi-Unit Companies
- Municipalities
- Places of Worship
- Police Officers
- Property Management Companies
- Resorts
- Restaurants
- Restoration Companies
- Schools
- Single Owner Operators
- Start-up Companies
- Transportation Maintenance Facilities
- United States Government
- Universities
- Vocational Education Agencies
- Window Cleaning Companies

We will be pleased to provide the names of customers in your area, or elsewhere, who own our equipment and may own, or have owned, other equipment that you may be considering.

We invite you to contact our customers about our products, customer service and the satisfaction and pride they experience as Butler System owners.

Financing and Leasing

There are many exclusive programs, each with its own distinctive advantage, for financing the Butler System and vehicle. Our sales department will be pleased to confidentially assist you with bank financing, leasing or lease-to-own programs that are exclusive to Butler customers. We can offer programs with low interest rates, no down payment and terms from 24 to 72 months. All Butler customers will be given the latest information regarding current purchase incentives and rebates.

Telephone Service

We provide toll free telephone service for the convenience of our customers throughout the continental United States and Canada by calling 800.535.5025.

Your call is always answered in a prompt, friendly and courteous manner. A receptionist will personally direct your call to one of our customer service or sales representatives who will be pleased to assist you whether you are calling about the Butler System, sales, service, parts, cleaning products or just general information.

An after-hours message service is available for calls received during the evening, weekend or holidays. We promise to return your call promptly when business hours resume. Also available for orders, requests and information is our 24-hour fax line at 413.589.9344.

Visit Our Website

We invite you to visit our website butlersystem.com for the most complete and up to date information on the Butler System and our Supply Division. Our easy to browse website gives you the opportunity to view the following:

- **Virtual Tour**
Take a visual tour of our facility.
- **Videos and Galleries**
View various YouTube videos, service videos and photo galleries.
- **New Butler Systems, Vans, Cube Vans and Trucks**
View the Butler System installed in vans, cube vans and trucks.
- **Pre-owned Butler Systems and Vans**
See what's available for pre-owned Butler Systems and vans.
- **Customers' Used Truckmounts**
View truckmounts and vehicles that are available for sale by their owner.
- **Supply Division**
Browse through our Supply Division that features Butler Maximum cleaning products, accessories, carpet, fabric, fire and water restoration equipment.
- **Butler Website Online Blog**
View our Butler website online blog for the latest up to date information on the Butler System, new products and services, corporate news, press releases and a schedule of trade shows and events where we will be displaying the Butler System and other Butler products.

E-Mail and Facebook

E-mail us anytime at info@butlersystem.com. Find us on Facebook at "The Butler System" or join the Butler Owners Facebook Group.



MANY FINANCE, LEASE AND
LEASE-TO-OWN PROGRAMS
ARE AVAILABLE EXCLUSIVELY
TO OUR CUSTOMERS.



WHEN YOU CHOOSE TO
PURCHASE THE BUTLER
SYSTEM, YOU NOT ONLY
PURCHASE EQUIPMENT, YOU
RECEIVE OUR COMMITMENT
TO OWNER SATISFACTION.

Information Packages

We like to keep our customers informed. Your sales representative will continue to provide you with updated information regarding pricing, policies, obligations and requirements that pertain to your purchase. Our staff will also work with you to arrange a convenient delivery date for your new or pre-owned Butler System/vehicle or a mutually convenient installation date if you are supplying your own van.

We begin by sending you a “Quotation Package” containing an itemized Quotation/Agreement for the Butler System/vehicle and any other Optional Equipment you may have shown an interest in purchasing.

The “Quotation Package” will be followed by a “Confirmation Package” that will confirm your order and pick up date or transport arrangements. We will continue to keep you updated with the various aspects and procedures that occur from the time we become acquainted, until the time you actually accept delivery.

Travel or Transport Allowance

A travel credit is provided when traveling to the Butler factory to accept delivery of a new Butler System or a transport credit allowance when your new Butler System/vehicle is transported. The credit is determined by geographic location. Your sales representative will be pleased to provide you with the details.

An information pamphlet is provided to assist you with your travel plans. This pamphlet lists overnight accommodations, dining and area attractions.

NOTE: *There are no travel or transport credit allowances for pre-owned Butler Systems.*

The Butler System 10-Year Warranty*

Our commitment to quality is emphasized by the “Butler System 10-Year Warranty,” with factory direct service and support, at no additional cost. There are no limitations on machine hours and the warranty may be transferred for up to one year of coverage, at no charge. Coverage includes: the Driveshaft, High-Pressure Pump, Detergent Injection Pump, Vacuum/Blower, Silencer, Heat Exchanger, Fresh Water Holding Tank, Recovery Tank, Vacuum Hose Reels, Pressure Hose Reels, Holders, Racks, Trays, Shelving and more.


**Complete warranty information for new and pre-owned Butler Systems is contained in the Butler System Warranty Booklet and is available at any time upon request or at butlersystem.com.*

Butler “Guarantee Buy-Back Program”

The Butler Corporation’s “Guarantee Buy-Back Program” provides our customers the opportunity to trade-in or cash-in their 15 year old or newer Butler System/van at anytime during ownership, including, while financed or leased.

The buy-back amount for a used Butler System and van may be as much as 75% (or more) of the original purchase price. The buy-back program provides our customers with an easy, convenient way to keep their equipment updated with the latest technology and warranties.


NOTE: “Guarantee Buy-Back Program” information is available upon request or online at butlersystem.com.



See Warranty Booklet for complete coverage details and limitations.



OUR WARRANTY
DEMONSTRATES OUR
DEDICATION TO QUALITY
AND THE CONFIDENCE
AND COMMITMENT WE
HAVE IN OUR PRODUCTS.



Modular Components

The Butler System's components are logically arranged for ease of service. The majority of components incorporate the use of quick disconnects and JIC swivel fittings. Our customers appreciate the benefits of being able to easily service and repair their machines, both economically and with minimal tools in less time.

"Parts Exchange Program"

The Butler Corporation's "Parts Exchange Program" provides our customers, whose warranty has expired, a cost effective method for replacing worn or broken parts with factory remanufactured parts. Items such as the Driveshaft, High-Pressure Pump, Detergent Injection System and Pulsation Dampener can typically be remanufactured to "like new" condition.

We will promptly send a replacement part at our current selling price. Once the replacement has been installed, the customer can return the worn or broken part back for evaluation. The final cost of the replacement part will be the cost to remanufacture the returned part providing it can be remanufactured. The cost savings for a fully warranted remanufactured part can be significant.

We inventory replacement parts, ready to ship the same day, for every Butler System manufactured in the past 20-plus years. Our "Parts Exchange Program" contributes to the Butler System's low cost of operation and overall longevity, and is an effective method for us to continually evaluate the quality of our parts.

A customer service representative will be pleased to provide you with the details.

NOTE: *The Butler Corporation's remanufactured parts have the same warranty as a new part. Complete warranty information is available at any time upon request or online at butlersystem.com.*

Owner's Manual

Every Butler System is provided with a comprehensive Owner's Manual. This manual has been prepared to better acquaint you with the operation and servicing of your Butler System.

Helpful guides and pictures are conveniently referenced and will assist you in answering many of your questions regarding: design features, system operations, maintenance, diagnostic checks, winterizing, warranty and administrative information, etc. *Owner's Manual information is available online at butlersystem.com.*

Maintenance Records Booklets

Maintenance of the Butler System is a key factor in its continued dependability, longevity and future value.

Every new Butler System is provided with a Maintenance Record Booklet for each year of the warranty coverage period and a hard cover three-ring binder to keep the booklet in. The binder has a vinyl sleeve that can accommodate required receipts.

The maintenance booklets provide a convenient and organized method for recording the completion of recommended checks, maintenance, services and tests to the Butler System, as well as, a simple format to log maintenance and services performed to the vehicle.

Safety Data Sheets Binder


All cleaning and restoration products are required to be accompanied by a Safety Data Sheet (SDS). A Safety Data Sheet provides important information regarding product and hazard identification, composition/information on ingredients, first aid, fire fighting and accidental release measures, handling and storage, exposure control/personal protection, physical data, stability and reactivity, toxicological and ecological information, disposal considerations, transport and regulatory information and other pertinent product related information.

A bright yellow, Three-Ring Binder is supplied with every new and pre-owned Butler System to conveniently accommodate this information.

NOTE: A SDS is available for every cleaning and restoration product sold by The Butler Corporation and are available at any time upon request or online at butlersystem.com.

Butler System Warranty Booklet

Your Butler System is provided with varying warranties as listed in a comprehensive Warranty Booklet to protect your investment should a warranty part need repair or replacement, due to a defect in material and/or workmanship. This Butler System Warranty Booklet explains the various warranty coverage intervals for each warranted part and component. It also contains the 50/50 Powertrain Warranty for specific pre-owned vehicles. *Complete warranty information is available at any time upon request or online at butlersystem.com.*






Binder Holder

All new and pre-owned Butler Systems are equipped with an aluminum constructed, silver textured Binder Holder to accommodate the Owner's Manual and the Safety Data Sheets. This holder also provides a convenient and organized place to store other related business documents.

Butler System Schematic

The Butler System Schematic is a pictorial representation of the Butler System and its various components. One Schematic is included with the Owner's Manual and a laminated duplicate of this Schematic can be found on a pull-down, retractable holder conveniently located at the vehicle's side door.

The color-coded, sequentially numbered and indexed Schematic provides an easy-to-understand visual reference of the Butler System. Parts and components are grouped by subsystem and are distinguishable by color for quick and easy identification. *Schematic is available online at butlersystem.com.*



PURCHASING SHOULD
BE A REWARDING
AND GRATIFYING
EXPERIENCE.

Finishing Touches

The Butler System is a quality product that looks and feels finished.

The rich-textured, five-step, silver finish and the contrasting black and white finishes blend handsomely to create a coordinated appearance. A multi-colored stain, scratch and detergent resistant coating is carefully applied to the instrument panel to highlight the matching color-coded and illuminated gauges and switches. All components, including the Optional Equipment, are designed and finished to enhance the Butler System's value and performance. The Butler System features were developed for operator efficiency and increased productivity with special attention focused on operator ease and convenience.

A series of tests and inspection procedures are performed on each Butler System and vehicle prior to delivery. The Butler System and vehicle are prepared for detailing after all tests and procedures have been successfully completed. The interior and exterior are thoroughly cleaned and detailed prior to final inspection and then placed in one of our private delivery areas, while awaiting customer arrival or transport carrier.

Delivery Process


A mutually convenient date is designated for you to accept delivery when you decide to purchase the Butler System. Delivery dates are scheduled so that one of our delivery representatives can provide you with their undivided attention on the day of your visit.

We suggest you confirm your travel plans with us if you are traveling by plane, train or bus, so that we can accommodate your arrival by being there to greet you and provide you with transportation to our factory. You should plan on visiting us for a minimum of several hours, usually 4–5 hours, so we can devote as much time as necessary to ensure that your visit meets your expectations. Complimentary refreshments are available throughout the day and lunch will be provided if you are with us during the noon hour.

We look forward to showcasing our company and furnishing you with a tour of our modern facility. The tour will provide you with an opportunity to become acquainted with various members of our staff who will be providing you with service, technical assistance and support.

The delivery process will be held in one of our comfortable, private delivery areas with personal one-on-one instruction regarding the operating procedures for your Butler System. Your delivery orientation will also include a review of the Butler System Owner's Manual, Schematic, Warranty Booklet, Maintenance Records Booklets, "Guarantee Buy-Back Program," "Parts Exchange Program" and our 10-Year Warranty. The relaxed atmosphere during the delivery process will present an opportune time for you to become familiar and comfortable with your new purchase(s) and become more acquainted with our company and staff.

We are dedicated to doing whatever we can to ensure that your visit is an enjoyable and rewarding experience.



WE WILL DO WHATEVER
WE CAN TO ENSURE THAT
THE DELIVERY PROCESS IS
AN INFORMATIVE AND
ENJOYABLE EXPERIENCE.



OUR INVENTORY
CONSISTS OF OVER
TWO MILLION ITEMS.

Inventory

Our extensive inventory consists of over two million items that include: cleaning products, restoration products, supplies, portable equipment and parts for all Butler Systems sold in the last 20-plus years.

We accept Visa, MasterCard, American Express, Discover, cashier's check, certified check and money orders for our customers' convenience. Business and personal checks are accepted with a 7 to 10 day merchandise hold for bank clearing.

Shipping

Once you purchase the Butler System, you enter into a long-term business relationship with us and it is important that service, parts and supplies are readily available. We provide free nationwide telephone service and technical assistance for as long as you own your Butler System.

Our shipping department uses the latest in computer technology to ensure that your order is processed quickly and accurately. Orders received by 2:00 p.m. (EST) for UPS delivery are expedited and shipped the same day. Our UPS online system can monitor your order and track its route from the time it leaves our factory to the time it arrives at your facility. Special shipping arrangements (UPS Next Day Air, 2nd Day Air, etc.) are available upon request.

The Butler Comparison

A competitive challenge is our company's motivation. We would like you to compare the Butler System with all other cleaning machines to experience why we have been recognized as the industry leader in American quality, value and service since 1980.

The Butler System is showcased annually throughout the continental United States at most of the national and regional trade shows and conventions. These shows provide you the opportunity to view the Butler System and compare it to its competition. A Butler Sales Representative is always in attendance to personally answer any questions that you may have.

Throughout the year we also have new Butler Systems and vehicles in various regions of the country for our representatives to provide personal demonstrations. However, the most successful method for selling the Butler System has always been from customer referrals and their demonstrations. We would be pleased to arrange a personal demonstration for you through one of our thousands of Butler System owners located in all fifty states, as well as, Canada, Bermuda, Cayman Islands, Puerto Rico, St. Maarten and various U.S. government locations around the world. You are also welcome to visit our factory, observe the manufacture of the Butler System firsthand and experience the importance we place on quality and friendly, courteous customer service.

We are convinced that once you have had the opportunity to speak with some of our customers and see the Butler System demonstrated, or visit us at the factory, you will appreciate why the Butler System is the one carpet, fabric and restoration cleaning machine by which all others are judged.

Courteous Service

The Butler Corporation is committed to prompt, friendly and courteous service. Our entire staff is dedicated to serving your needs and is devoted to ensuring that your experience as a Butler customer is rewarding. We continue to stay in communication with our customers with a friendly phone call or with updated information of a professional interest. We believe that an exchange of knowledge and information is important to our success and is a benefit and interest to all.

Our toll free telephone service at 1.800.535.5025 is available throughout the continental United States and Canada.



THOUSANDS OF
BUTLER SYSTEMS
ARE IN USE DAILY.



Thank You

We sincerely appreciate the time you have taken to review this brochure. We trust that the contents will assist you in the selection of the Butler System as a primary asset toward your business success. Our focus is the total satisfaction of each and every customer.

B

Back-Up Alarm (Van)	64
Butler Parts Exchange Program	88
Butler System 10-Year Warranty	5, 87
Butler System Warranty Booklet	89
Butler Guarantee Buy-Back Program ..	5, 87
Butler Maximum Cleaning Products	37, 81

C

Chart (Check, Maintain, Service and Test)	21
Cleaning Products	37, 80–81
Connector (“Y”)	55
Cube Vans and Trucks	72–77
Customer Satisfaction	83

D

Delivery Process	91
Detergent Injection System	14
Disclaimer (Information and Communications)	96
Drive Shaft	13

E

Electric Pressure Hose Reel	56
Electric Vacuum Hose Reel	57
Electrical Components	15
Equipment Shroud	12

F

Factory Direct Sales, Service, Support....	84
Facebook Page	85
Filter Bags–Dual Removable Tray	52
Filter Basket	55
Filter Recovery System	55
Filter Screen (Pleated)	52
Financing and Leasing	85
Floating Water Extraction Tool	64, 77
Floor Covering (Van)	21

G

Garden Hose Reel	58
Gun (Pressure Spray)	54

H

Heat Exchange System (Standard)	15
Heat Exchange System (Maximum)	48
Heater (Rear Cargo)	76
High Volume Pump-Out System	59, 77
Holder (Carpet Rake)	36
Holder (High-Pressure Gun)	53, 54
Holder (Simulator Nozzle)	20
Holder (Stair Tool)	17
Holder (Vacuum Hose)	17
Holder (Wand)	16, 20
Holders (Binder)	22, 90
Holders (Rolatape)	36
Hose (Braided Stainless Steel)	13
Hose (Extension for Recovery Tank Drain)	63
Hose (High-Pressure)	18, 60
Hose (Supply/Garden)	18, 60
Hose (Vacuum)	18, 60
Hose (Vacuum Leader)	18
Hose Guide/Security Door	19, 58
Hose Storage Brackets	20, 61, 75

I

Information Packages	86
In-Line Filter Recovery System	55
Instrument Panel	12
Interior Lighting	64
Inventory	92

L

Leasing and Financing	85
Lighting (Exterior Scene)	76
Lighting (Halogen Spotlight)	64
Lighting (Interior/Cargo Area)	64
Lubricants for First Service	20
LittleBig Truck	75

M

Maintenance Records Booklets	22, 89
MidMount Floor Plan	28, 42
MidMount Fresh Water Tank	38
Modular Components	88
Modular Shelving	72, 74

O

Optional Equipment	40–67
Owner's Manual (Butler System)	22, 89
Owner's Manual/SDS Holder	22, 90

P

Parts Exchange Program	88
Platform (Storage)	51
Pleated Screen Filter	52
Portfolio	37
Preferred Equipment	26–39
Pre-owned Butler Systems	78–79
Pre-owned Vans	78–79
Pressure “T”	54
Pressure Spray Applicator	53
Pressure Spray Applicator Rack	53
Pressure Spray Gun	54
Pump (High-Pressure)	13
Pump-Out System	59
Pump-Out System (High Volume)	59, 77

R

Rack (Portable Machine)	61
Rack (Wash)	36
Racks (Pressure Spray Tank)	62
Ramps	77
RearMount Floor Plan	32, 46
RearMount Fresh Water Tank	38
Reel (Vacuum Hose)	39, 56
Reel (Electric Pressure Hose)	56
Reel (Electric Vacuum Hose)	57
Reel (Pressure Hose)	39, 56
Reel (Supply/Garden Hose)	58
Roof Protector Panel	17

S

Safety and Security Features	24
Schematic (Butler System)	21, 90
Safety Data Sheets Binder	22, 89
Second Floor	57
Second Wand Holder and Tray	20
Security Door/Hose Guide	19, 58
Shaft–Drive System	13
Shelving (Modular)	72, 74

Shipping	92
Shroud (Equipment)	12
Side Door Storage Tray	59
SideMount Floor Plan	30, 44
SideMount Fresh Water Tank	38
Silencer (Ultra-Quiet)	14
Simulator Nozzle	20
Simulator Nozzle Holder	20
Spray-On Cargo Liner	65
Stainless Steel Basket	55
Stair Tool	17
Stair Tool Bracket	17
Stair Tool Tray	17
Standard Features	7–24
Stops (Side Door)	19
Storage Brackets (Hose)	20, 61, 75
Storage Container (Furniture Blocks)	35
Storage Container (Furniture Tabs) ..	35, 62
Storage Container (Pressure Spray Tank) ..	35
Storage Container (Upholstery Tool)	36
Storage Platform	51
Storage Second Floor	57
Storage Shelf Unit	34
Storage Tray Side Door	59
Storage Tray Units	34, 59
Supply Division	80–82
Supply Kit (Recommended)	62

T

Tank (Auxiliary 90-Gallon Fresh Water)....	66
Tank (110-Gallon Recovery)	15
Tank (210-Gallon Recovery)	52
Tanks (110-Gallon Fresh Water)	38
Tie Down System	75
Travel Allowance	86
Trucks and Cube Vans	72–77

U

Upholstered Interior Panels	65
Upholstery Tool	61
Upholstery Tool Storage Container	36
Used “Pre-owned” Butler Systems....	78–79
Used “Pre-owned” Van	78–79

V

Vacuum “Y”	54
Vacuum/Blower System (Standard)	14
Vacuum/Blower System (Maximum)	48
Valve (Quick Drain for Fresh Water Tank) ..	63
Van Back Up Alarm	64
Vans	68–71
Vans (Cube)	72–77
Vans (Pre-owned)	78–79

W

Wand (Floor)–1-Jet Single Bend	16, 49
Wand (Floor)–3-Jet Double Bend	16, 49
Wand (Floor)–5-Jet Double Bend	50
Wand (Glides)	51
Wand Holder and Tray	16, 20
Warranty (10-Year)	5, 87
Warranty Booklet	89
Website	81, 82, 85
Weight Information (Vehicle)	24, 71
Winterizing Kit	63

INFORMATION AND COMMUNICATIONS DISCLAIMER

Information and product support supplied by The Butler Corporation has its origin in Ludlow, Massachusetts in the United States of America and is communicated to the customer in the language of North American English. It is the responsibility of the customer, now or in the future, to understand all communication(s), follow all instruction(s) and to provide assistance necessary for the translation or the interpretation of all communication(s) supplied by The Butler Corporation.

The Butler Corporation reserves the right to amend all communication(s), prices, colors, materials, specifications, models and availability, etc. without notice and without incurring any expense or obligation. All communication(s), expressed or implied, from The Butler Corporation is published for application in the Continental United States and may or may not apply in other countries. All prices represented are in United States currency. All transactions and disputes shall be governed by, construed and enforced in accordance with the laws of The Commonwealth of Massachusetts in the United States of America.

THE BUTLER CORPORATION

251 Moody Street
Ludlow, Massachusetts 01056
PHONE 413.547.8557
FAX 413.589.9344
800.535.5025
butlersystem.com

THE BUTLER CORPORATION

251 Moody Street

Ludlow, Massachusetts 01056

PHONE 413.547.8557

FAX 413.589.9344

800.535.5025

butlersystem.com